

FLOOD INSURANCE STUDY



HORRY COUNTY, SOUTH CAROLINA AND INCORPORATED AREAS

VOLUME 2 OF 4

Community Name	Community Number
ATLANTIC BEACH, TOWN OF	450222
AYNOR, TOWN OF*	450105
BRIARCLIFFE ACRES, TOWN OF	450232
CONWAY, CITY OF	450106
HORRY COUNTY (UNINCORPORATED AREAS)	450104
LORIS, CITY OF	450108
MYRTLE BEACH, CITY OF	450109
NORTH MYRTLE BEACH, CITY OF	450110
SURFSIDE BEACH, TOWN OF	450111
*NO SPECIAL FLOOD HAZARD AREAS IDENTIFIED	



REVISED:
DECEMBER 16, 2021



Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER
45051CV002B

**NOTICE TO
FLOOD INSURANCE STUDY USERS**

Communities participating in the National Flood Insurance Program (NFIP) have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study (FIS) may not contain all data available within the repository. Please contact the Community Map repository for any additional data.

The Federal Emergency Management Agency (FEMA) may revise and republish part or all of this FIS Report at any time. In addition, FEMA may revise part of the FIS Report by the Letter of Map Revision process, which does not involve republication or redistribution of the FIS. Therefore, users should consult with community officials and check the Community Map Repository to obtain the most current FIS Report components.

Initial Countywide FIS

Effective Date: September 30, 1988

Revised Dates:

April 2, 1991
September 3, 1992 (Flood Insurance Rate Map only)
June 15, 1994
August 23, 1999
September 17, 2003
December 16, 2021

TABLE OF CONTENTS
VOLUME 1

SECTIONS

	<u>Page</u>
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study	1
1.2 Authority and Acknowledgments	1
1.3 Coordination	2
2.0 <u>AREA STUDIED</u>	3
2.1 Scope of Study	3
2.2 Community Description	17
2.3 Principal Flood Problems	18
2.4 Flood Protection Measures	22
3.0 <u>ENGINEERING METHODS</u>	22
3.1 Hydrologic Analyses	22
3.2 Hydraulic Analyses	33
3.3 Coastal Analyses	35
3.4 Vertical Datum	51
4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	52
4.1 Floodplain Boundaries	52
4.2 Floodways	58

FIGURES

	<u>Page</u>
Figure 1 – Wave Runup Transect Schematic	36
Figure 2 – Coastal Transect Schematic	37
Figure 3 – Transect Location Map	41
Figure 4 – Floodway Schematic	60

TABLES

	<u>Page</u>
Table 1 – Flooding Sources Studied by Limited Detailed Methods	4
Table 2 – Flooding Sources Studied by Detailed Methods	15
Table 3 – Incorporated Letters of Map Revision (Current Revision)	16
Table 4 – USGS Stream Gages used in Hydrologic Analyses	25
Table 5 – Summary of Discharges	27

TABLE OF CONTENTS – continued
VOLUME 1 (continued)

TABLES – (continued)

	<u>Page</u>
Table 6 – Summary of Roughness Coefficients	34
Table 7 – Summary of Coastal Analyses	38
Table 8 – Tide Gage Analysis Specifics	38
Table 9 – Coastal Transect Parameters	44
Table 10 – Summary of Coastal Transect Mapping Considerations	54
Table 11 – Floodway Data	61

VOLUME 2

SECTIONS

	<u>Page</u>
4.2 Floodways, continued	93

TABLES

	<u>Page</u>
Table 11 – Floodway Data	93
Table 12 – Flood Hazard Data for Selected Streams	102

VOLUME 3

SECTIONS

	<u>Page</u>
4.2 Floodways, continued	185
5.0 <u>INSURANCE APPLICATIONS</u>	192
6.0 <u>FLOOD INSURANCE RATE MAP</u>	193
7.0 <u>OTHER STUDIES</u>	193
8.0 <u>LOCATION OF DATA</u>	194
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	197

TABLES

	<u>Page</u>
Table 12 – Flood Hazard Data for Selected Streams	185
Table 13 – Community Map History	195

TABLE OF CONTENTS – continued
VOLUME 3 (continued)

EXHIBITS

Exhibit 1 – Flood Profiles	<u>Panel</u>
Altman Branch	1 P
Bear Swamp-Baiter Swamp	2 P
Bear Swamp Tributary	3 P
Collins Creek	4-5 P
Collins Creek Tributary	6-7 P
Crab Tree Swamp	8 P
Crab Tree Swamp Tributary	9 P
Crab Tree Swamp Tributary No. 1	10 P
Crab Tree Swamp Tributary No. 2	11 P
Crab Tree Swamp Tributary No. 3	12 P
Cross Swamp	13 P
Grier Swamp	14 P
Intracoastal Waterway Tributary 6	15-18 P
Intracoastal Waterway Tributary 10	19 P
Intracoastal Waterway Tributary 10-1	20-21 P
Intracoastal Waterway Tributary 10-2	22 P
Intracoastal Waterway Tributary 11	23-24 P
Jenkins Swamp	25 P
Jenkins Swamp Tributary	26 P
Kingston Lake Swamp	27-28 P
Lumber River	29 P
Midway Swash	30-31 P
Midway Swash Tributary	32 P
Run of Plum Branch	33 P
Seventh Avenue Stream	34 P
Simpson Creek	35 P
Socastee Creek	36-37 P
Unnamed Tributary 5	38-39 P
Waccamaw River	40-45 P
Waccamaw River Tributary 1	46 P
Waccamaw River Tributary 2	47 P
Waccamaw River Tributary 3	48 P
Waccamaw River Tributary 4	49 P
Waccamaw River Tributary 5	50 P
Waccamaw River Tributary 6	51 P
Willow Springs Branch	52 P
Withers Swash	53 P
Withers Swash Tributary 1	54 P

TABLE OF CONTENTS – continued
VOLUME 3 (continued)

EXHIBITS – continued

Exhibit 1 – Flood Profiles	<u>Panel</u>
Withers Swash Tributary 2	55 P
Withers Swash Tributary 3	56 P

Exhibit 2 – Transect Profiles	<u>Panel</u>
Transect 1	1-2 P
Transect 2	3-4 P
Transect 3	5-6 P
Transect 4	7-8 P
Transect 5	9 P
Transect 6	10 P
Transect 7	11 P
Transect 8	12 P
Transect 9	13 P
Transect 10	14 P
Transect 11	15 P
Transect 12	16 P
Transect 13	17 P
Transect 14	18 P
Transect 15	19 P
Transect 16	20 P

VOLUME 4

EXHIBITS – continued

Exhibit 2 – Transect Profiles	<u>Panel</u>
Transect 17	21 P
Transect 18	22 P
Transect 19	23 P
Transect 20	24 P
Transect 21	25 P
Transect 22	26 P
Transect 23	27 P
Transect 24	28 P
Transect 25	29 P
Transect 26	30 P

TABLE OF CONTENTS – continued
VOLUME 4 (continued)

EXHIBITS – continued

Exhibit 2 – Transect Profiles	<u>Panel</u>
Transect 27	31 P
Transect 28	32-33 P
Transect 29	34 P
Transect 30	35 P
Transect 31	36 P
Transect 32	37 P
Transect 33	38 P
Transect 34	39 P
Transect 35	40 P
Transect 36	41 P
Transect 37	42 P
Transect 38	43 P
Transect 39	44 P
Transect 40	45 P
Transect 41	46 P
Transect 42	47 P
Transect 43	48 P
Transect 44	49 P
Transect 45	50 P
Transect 46	51 P
Transect 47	52 P
Transect 48	53 P
Transect 49	54 P
Transect 50	55 P
Transect 51	56 P
Transect 52	57 P
Transect 53	58 P
Transect 54	59 P
Transect 55	60 P
Transect 56	61 P
Transect 57	62 P
Transect 58	63-64 P
Transect 59	65 P
Transect 60	66 P
Transect 61	67 P
Transect 62	68 P
Transect 63	69 P
Transect 64	70 P

TABLE OF CONTENTS – continued
VOLUME 4 (continued)

EXHIBITS – continued

Exhibit 2 – Transect Profiles	<u>Panel</u>
Transect 65	71 P
Transect 66	72 P
Transect 67	73 P
Transect 68	74 P
Transect 69	75 P
Transect 70	76 P
Transect 71	77 P
Transect 72	78 P
Transect 73	79 P
Transect 74	80-81 P
Transect 75	82-83 P
Transect 76	84-85 P
Transect 77	86-87 P
Transect 78	88-89 P
Transect 79	90-91 P
Transect 80	92-93 P
Transect 81	94-95 P
Transect 82	96-97 P
Transect 83	98-99 P
Transect 84	100-101 P
Transect 85	102-104 P
Transect 86	105-106 P
Transect 87	107-108 P

Exhibit 3 – Flood Insurance Rate Map Index
Flood Insurance Rate Map

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	0	45	172	4.0	12.2	11.9 ²	12.3	0.4
B	1,970	132	507	1.3	16.7	16.7	17.5	0.8
C	3,320	125	442	0.6	18.4	18.4	19.4	1.0
D	4,170	10	27	4.7	21.2	21.2	21.9	0.7
E	5,530	30	65	1.4	31.4	31.4	32.3	0.9

¹ Feet above Gary Lake Boulevard

² Elevation computed without consideration of backwater effects from Great Pee Dee River

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WACCAMAW RIVER TRIBUTARY 3

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	450	60	250	1.1	17.7	14.8 ²	15.8	1.0
B	1,850	110	393	0.6	17.7	16.9 ²	17.8	0.9
C	2,950	13	28	7.0	29.3	29.3	29.7	0.4
D	3,500	64	211	0.9	32.7	32.7	33.4	0.7
E	4,900	16	44	2.5	36.9	36.9	37.3	0.4

¹ Feet above confluence with Waccamaw River Tributary 3

² Elevation computed without consideration of backwater effects from Waccamaw River Tributary 3

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
AND INCORPORATED AREAS

FLOODWAY DATA

WACCAMAW RIVER TRIBUTARY 4

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	0	12	48	5.8	16.6	16.6	17.6	1.0
B	2,800	31	90	3.1	38.5	38.5	39.0	0.5
C	3,029	44	153	1.8	39.4	39.4	40.1	0.7
D	4,709	120	348	0.8	41.6	41.6	42.6	1.0
E	4,909	159	502	0.6	41.9	41.9	42.9	1.0

¹ Feet above limit of detailed study (limit of detailed study is approximately 4,950 feet downstream of State Highway 544)

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WACCAMAW RIVER TRIBUTARY 5

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	0	30	105	3.8	11.9	7.8 ²	8.7	0.9
B	128	90	380	1.0	11.9	8.6 ²	9.3	0.7
C	2,778	38	97	3.2	19.1	19.1	19.9	0.8
D	2,974	109	489	0.6	20.0	20.0	20.9	0.9

¹ Feet above Old Bucksville Road

² Elevation computed without consideration of backwater effects from Great Pee Dee River

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WACCAMAW RIVER TRIBUTARY 6

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	550	18	93	3.6	12.6	12.4 ²	13.4	1.0
B	2,500	33	119	2.8	19.1	19.1	20.1	1.0
C	4,900	116	230	1.0	27.1	27.1	28.0	0.9

¹ Feet above confluence with Bear Swamp

² Elevation computed without consideration of backwater effects from Great Pee Dee River

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WILLOW SPRINGS BRANCH

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	118	324	2,673	0.4	13.6 ³	13.4 ⁴	14.4	1.0
B	868	280	1,512	0.6	13.7 ³	13.5 ⁴	14.5	1.0
C	1,046	287	1,547	0.6	13.8 ³	13.6 ⁴	14.6	1.0
D	2,133	251 ²	1,014	0.6	14.2 ³	13.9 ⁴	14.8	0.9
E	3,345	47	270	2.1	14.7 ³	14.5 ⁴	15.2	0.7
F	4,050	59	378	1.5	16.4 ³	16.3 ⁴	17.3	1.0

¹ Feet above 3rd Avenue South

² Combined Withers Swash / Withers Swash Tributary 3 floodway

³ Combined coastal and riverine effects from Atlantic Ocean and Withers Swash

⁴ Elevation computed without consideration of backwater effects from Atlantic Ocean

TABLE 11

**FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
AND INCORPORATED AREAS**

FLOODWAY DATA

WITHERS SWASH

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	77	91	511	1.2	12.1 ²	9.0 ³	10.0	1.0
B	277	84	784	0.8	12.1 ²	9.0 ³	10.0	1.0
C	1,448	71	238	1.9	12.1 ²	10.0 ³	10.9	0.9
D	2,813	184	543	0.8	13.9 ²	13.7 ³	14.7	1.0
E	3,843	54	128	1.2	15.0	15.0	15.6	0.6
F	4,868	70	100	1.5	15.2	15.2	15.7	0.5

¹ Feet above 5th Avenue South

² Combined coastal and riverine effects from Atlantic Ocean and Withers Swash Tributary 1

³ Elevation computed without consideration of backwater effects from Atlantic Ocean

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WITHERS SWASH TRIBUTARY 1

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	435	33	235	2.0	16.1	16.1	16.1	0.0
B	943	42	224	2.1	16.3	16.3	16.5	0.2
C	1,833	38	131	3.5	19.6	19.6	19.7	0.1
D	1,943	140	712	0.7	19.9	19.9	20.8	0.9
E	2,207	150	610	0.7	19.9	19.9	20.8	0.9
F	2,475	102	295	1.4	19.9	19.9	20.8	0.9
G	2,565	54	111	3.7	20.9	20.9	21.2	0.3
H	2,790	220	672	0.6	21.4	21.4	22.3	0.9
I	3,824	13	81	4.5	22.1	22.1	23.0	0.9

¹ Feet above confluence with Withers Swash

TABLE 11

FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
 AND INCORPORATED AREAS

FLOODWAY DATA

WITHERS SWASH TRIBUTARY 2

LOCATION		FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A	320	251 ²	1,014	0.6	14.2 ³	13.9 ⁴	14.8	0.9
B	980	89	314	0.9	19.5	19.5	20.5	1.0
C	2,814	112	372	0.3	20.7	20.7	21.7	1.0
D	2,991	96	330	0.4	20.7	20.7	21.7	1.0

¹ Feet above confluence with Withers Swash

² Combined Withers Swash Tributary 3 / Withers Swash floodway

³ Combined coastal and riverine effects from Atlantic Ocean and Withers Swash Tributary 3

⁴ Elevation computed without consideration of backwater effects from Atlantic Ocean

TABLE 11

**FEDERAL EMERGENCY MANAGEMENT AGENCY
HORRY COUNTY, SOUTH CAROLINA
AND INCORPORATED AREAS**

FLOODWAY DATA

WITHERS SWASH TRIBUTARY 3

Table 12 – Flood Hazard Data for Selected Streams

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Baiter Swamp	117	11,728	183	20.1
	121	12,083	183	20.1
	127	12,736	121	20.2
	134	13,360	121	20.7
	139	13,860	77	21.8
	143	14,323	77	22.1
	147	14,715	77	23.2
Bear Branch	008	822	661	35.1 ³
	012	1,215	661	35.1 ³
	016	1,561	661	35.1 ³
	020	1,972	661	35.4
	024	2,354	661	35.8
	027	2,687	661	36.1
	032	3,229	661	36.7
	035	3,499	661	37.0
	035	3,542	661	38.8
	036	3,583	661	38.8
	039	3,896	661	38.9
	048	4,776	661	39.4
	054	5,371	611	39.4
	058	5,774	611	39.4
	065	6,498	542	39.5
	071	7,111	478	39.5
	077	7,657	478	39.5
	080	8,018	478	39.6
	084	8,398	478	39.8
	084	8,436	478	40.0
	085	8,475	478	40.0
	089	8,879	478	40.3
	095	9,453	427	40.6
	099	9,854	427	40.9
	104	10,425	427	41.2
111	11,087	427	41.3	
115	11,483	312	41.3	
120	11,981	312	41.3	
125	12,470	312	41.3	
129	12,896	312	41.3	
129	12,946	312	41.3	
130	12,983	312	41.3	
136	13,551	312	41.4	
142	14,157	312	41.4	
147	14,703	254	41.5	
153	15,258	254	41.6	
159	15,885	254	41.6	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Bear Branch (continued)	166	16,647	254	41.7
	175	17,538	254	42.2
	181	18,077	117	42.6
	186	18,559	117	42.7
Bellamy Branch	016	1,554	606	23.9 ³
	021	2,083	606	23.9 ³
	026	2,584	606	23.9 ³
	026	2,631	606	23.9 ³
	027	2,686	606	23.9 ³
	027	2,735	606	23.9 ³
	029	2,930	606	23.9 ³
	031	3,110	566	23.9 ³
	036	3,622	566	23.9 ³
	041	4,122	566	23.9 ³
	046	4,617	566	24.1
	051	5,124	566	25.0
	056	5,599	566	25.5
	060	6,041	566	25.8
	061	6,073	566	26.4
	061	6,091	566	26.4
	062	6,162	566	26.5
062	6,207	566	26.5	
Big Branch	001	114	763	11.9 ³
	005	483	763	11.9 ³
	009	907	763	11.9 ³
	016	1,623	763	11.9 ³
	021	2,130	763	11.9 ³
	026	2,648	763	11.9 ³
	030	3,031	763	11.9 ³
	033	3,286	763	11.9 ³
	033	3,319	763	12.4
	034	3,352	763	12.4
	036	3,588	763	12.5
	038	3,843	716	12.5
	042	4,182	716	12.7
	044	4,429	716	12.8
	045	4,472	716	12.8
	045	4,517	716	12.8
	046	4,641	716	12.9
050	5,010	716	13.5	
056	5,570	716	14.1	
061	6,111	656	14.4	
066	6,624	532	14.6	
071	7,074	532	14.8	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Big Branch 2	005	509	526	21.0 ³
	009	872	526	21.0 ³
	014	1,389	526	21.0 ³
	019	1,926	488	21.0 ³
	024	2,443	488	21.9
	030	3,006	488	23.2
	035	3,477	488	24.1
	039	3,876	488	25.2
	Big Cedar Branch	010	954	391
013		1,321	391	25.1 ³
016		1,632	391	25.1 ³
021		2,084	391	25.3
024		2,441	391	26.0
027		2,652	391	26.4
027		2,707	391	28.5
028		2,756	391	28.5
030		3,003	391	28.6
035		3,474	391	29.1
Big Cypress Swamp	009	903	776	19.5 ³
	013	1,324	776	19.5 ³
	017	1,720	776	19.5 ³
	017	1,747	776	19.5 ³
	018	1,776	776	19.5 ³
	021	2,054	776	19.5 ³
	025	2,494	776	19.5 ³
	035	3,500	704	19.5 ³
	040	4,000	704	19.5 ³
	046	4,590	704	19.5 ³
	046	4,640	704	19.5 ³
	047	4,686	704	19.5 ³
	050	5,000	704	19.5 ³
	054	5,409	641	20.4
	056	5,570	641	21.4
	060	6,000	641	22.1
065	6,500	641	22.5	
070	7,000	587	22.9	
Big Jones Swamp	132	13,179	1,500	15.9 ³
	139	13,888	1,500	15.9 ³
	157	15,718	1,500	15.9 ³
	162	16,191	1,500	15.9 ³
	172	17,199	1,500	15.9 ³
	182	18,244	1,462	15.9 ³
	192	19,189	1,462	15.9 ³
	202	20,198	1,462	15.9 ³
	213	21,295	1,462	15.9 ³

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)	
Big Jones Swamp (continued)	222	22,229	1,462	15.9 ³	
	232	23,179	1,462	15.9 ³	
	237	23,699	1,425	15.9 ³	
	242	24,188	1,425	16.0	
	247	24,699	1,324	16.5	
	254	25,416	1,324	17.3	
	256	25,623	1,324	18.5	
	258	25,840	1,324	18.5	
	262	26,171	1,324	18.7	
	267	26,679	1,086	18.8	
	273	27,281	1,086	18.9	
	274	27,380	1,086	20.2	
	274	27,437	1,086	20.2	
	277	27,683	1,086	20.4	
	282	28,187	1,034	20.5	
	287	28,716	1,034	20.5	
	292	29,176	1,034	20.6	
	297	29,693	1,034	20.7	
	302	30,190	1,008	20.7	
	307	30,671	1,008	20.8	
	312	31,196	883	20.9	
	317	31,700	883	21.0	
	322	32,186	883	21.2	
	327	32,676	883	21.3	
	332	33,177	883	21.4	
	337	33,691	883	21.7	
	342	34,168	883	21.9	
	347	34,680	883	22.0	
	352	35,181	883	22.2	
	357	35,686	883	22.5	
	362	36,214	547	22.8	
	367	36,686	547	23.3	
	372	37,183	547	24.8	
	377	37,683	239	25.3	
	382	38,173	239	25.6	
	Black Creek	149	14,858	531	49.2 ³
		153	15,314	531	49.2 ³
		156	15,623	531	49.2 ³
162		16,154	531	49.2 ³	
164		16,361	531	49.2 ³	
166		16,599	531	49.2 ³	
167		16,678	531	49.2 ³	
167		16,746	531	49.2 ³	
171		17,141	531	49.2 ³	
175	17,524	531	49.7		

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Black Creek (continued)	179	17,916	531	50.4
	183	18,342	531	51.0
	188	18,813	531	51.8
	193	19,259	456	52.5
	197	19,679	456	53.1
	201	20,137	456	53.9
	205	20,541	456	54.4
	212	21,159	456	55.3
	216	21,596	456	55.7
	222	22,246	373	56.0
	231	23,080	373	56.8
	239	23,918	320	59.9
Black Creek Tributary 1	089	8,889	793	48.6 ³
	090	9,013	793	48.6 ³
	093	9,280	749	48.6 ³
	094	9,386	749	48.6 ³
	095	9,458	749	48.6 ³
	097	9,687	647	48.6 ³
	100	10,006	647	48.6 ³
	104	10,391	647	48.6 ³
	108	10,757	647	49.0
	112	11,215	647	49.6
Boggy Branch	081	8,056	836	53.8 ³
	087	8,675	836	53.8 ³
	090	9,013	734	53.8 ³
	092	9,223	734	53.8 ³
	099	9,916	734	55.2
	104	10,418	734	55.5
	109	10,915	734	56.0
	114	11,416	734	56.3
	120	11,953	734	56.7
	124	12,371	734	56.9
	129	12,916	734	57.1
	134	13,414	734	57.3
	139	13,921	734	57.6
	144	14,430	734	57.7
	150	15,013	734	58.0
	154	15,419	734	58.7
	159	15,901	693	59.6
	163	16,282	693	60.3
	168	16,778	693	61.0
	173	17,262	693	61.5
	178	17,802	693	62.2
	184	18,420	693	63.3
	187	18,706	693	63.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Boggy Branch (continued)	188	18,759	693	66.0
	188	18,811	693	66.0
	189	18,915	693	66.2
	194	19,420	693	66.5
Boggy Swamp	007	679	328	29.0 ³
	011	1,120	328	29.0 ³
	014	1,358	328	29.0 ³
	014	1,373	328	29.0 ³
	014	1,392	328	29.0 ³
	017	1,734	328	29.0 ³
	022	2,184	328	29.0 ³
	027	2,664	328	29.2
	031	3,088	328	30.6
	034	3,391	328	32.6
	037	3,691	328	34.7
	037	3,736	328	35.3
	038	3,765	328	36.0
	038	3,812	328	36.0
	041	4,093	215	36.5
	043	4,310	215	36.8
Bradley Branch	050	5,000	565	17.6 ³
	055	5,500	565	17.6 ³
	060	6,044	565	17.6 ³
	065	6,500	565	17.6 ³
	068	6,759	565	17.6 ³
	068	6,782	565	17.6 ³
	068	6,804	565	17.6 ³
	073	7,312	565	17.6 ³
	079	7,854	565	17.6 ³
	084	8,440	465	17.6 ³
	090	9,000	465	17.6 ³
	095	9,483	320	17.6 ³
Breakfast Swamp	018	1,780	701	50.7 ³
	023	2,305	701	50.7 ³
	028	2,832	671	51.3
	035	3,500	671	52.7
	040	4,000	671	53.5
	045	4,473	638	53.9
	045	4,510	638	54.3
	046	4,552	638	54.3
	050	5,000	638	54.9
	055	5,500	638	56.3
	060	6,000	638	57.9
	065	6,500	638	58.9
	070	7,000	638	59.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brown Swamp	165	16,500	2,271	21.3 ³
	170	17,000	2,271	21.3 ³
	176	17,619	2,218	21.3 ³
	177	17,664	2,218	21.3 ³
	177	17,700	2,218	21.3 ³
	181	18,146	2,218	21.3 ³
	189	18,851	2,218	21.3 ³
	193	19,349	2,218	21.3 ³
	198	19,787	2,218	21.3 ³
	204	20,378	2,109	21.3 ³
	208	20,821	2,109	21.3 ³
	213	21,323	2,053	21.3 ³
	218	21,811	2,053	21.3 ³
	224	22,363	2,053	21.3 ³
	230	23,000	2,053	21.3 ³
	235	23,500	2,053	21.3 ³
	240	24,000	2,053	21.4
	245	24,500	2,053	22.1
	249	24,926	2,024	22.5
	255	25,500	2,024	22.9
	258	25,816	2,024	23.1
	263	26,338	2,024	23.5
	269	26,904	2,024	24.1
	275	27,500	2,024	24.5
	280	28,023	1,949	24.9
	281	28,058	1,949	25.4
	281	28,096	1,949	25.4
	290	29,000	1,907	26.2
	295	29,500	1,907	26.4
	300	30,000	1,751	26.6
	305	30,500	1,751	26.9
	310	31,000	1,751	27.3
	315	31,500	1,751	27.7
	320	32,000	1,751	28.2
	325	32,500	1,652	28.6
	330	33,000	1,652	28.9
	334	33,419	1,652	29.2
	340	34,000	1,652	29.8
	345	34,500	1,652	30.5
	350	35,000	1,652	31.0
	355	35,500	1,652	31.4
	360	36,000	1,652	31.7
	365	36,500	1,652	32.0
	370	37,000	1,548	32.3
	375	37,500	1,548	32.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brown Swamp (continued)	380	38,000	1,548	32.8
	385	38,500	1,548	33.2
	389	38,906	1,548	33.5
	390	38,960	1,548	33.8
	390	39,007	1,548	33.8
	395	39,500	1,519	34.1
	400	40,000	1,519	34.7
	404	40,409	1,519	35.1
	409	40,894	1,519	35.7
	415	41,500	1,519	36.2
	420	42,000	1,467	36.6
	425	42,500	1,467	38.4
	431	43,112	1,417	39.2
	435	43,500	1,417	39.5
	439	43,888	1,417	39.7
	445	44,500	1,417	40.3
	450	45,000	1,417	40.6
	455	45,500	1,417	40.8
	460	46,000	1,417	41.2
	465	46,500	1,378	41.9
	470	47,000	1,378	42.9
	475	47,500	1,378	43.6
	480	48,000	1,273	44.3
	485	48,465	1,273	44.8
	490	49,000	1,273	45.1
	495	49,500	1,273	45.3
	500	50,000	1,228	45.7
	505	50,500	1,228	46.4
	510	51,000	1,228	46.9
	516	51,550	1,144	47.4
	520	52,000	1,144	47.8
	525	52,500	1,067	48.3
	530	53,000	1,067	49.4
	535	53,500	1,067	49.9
	540	54,000	1,067	50.3
	545	54,500	1,067	50.6
	550	55,000	1,067	51.0
	554	55,366	1,067	51.2
	557	55,747	1,067	51.5
	558	55,839	1,067	53.7
	560	55,967	1,067	53.7
	565	56,500	1,067	54.0
	570	57,000	1,033	54.1
	575	57,500	935	54.3
	581	58,095	935	54.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brown Swamp (continued)	586	58,584	935	55.0
	590	59,000	935	55.3
	595	59,500	935	55.7
	600	60,000	911	56.1
	605	60,500	911	56.6
	610	61,000	857	57.3
	615	61,500	857	58.5
	620	62,000	802	59.5
	625	62,500	802	60.1
	630	63,000	802	60.9
	633	63,285	756	61.8
	635	63,541	756	63.7
	636	63,591	756	64.8
	636	63,628	756	64.8
	638	63,819	756	65.3
	640	64,000	756	65.4
	645	64,500	756	65.6
	649	64,925	756	65.7
	652	65,245	756	65.7
	656	65,615	756	65.8
	661	66,061	756	65.9
Brown Swamp 2	004	355	1,327	13.8 ³
	007	731	1,327	13.8 ³
	014	1,433	1,327	13.8 ³
	017	1,744	1,327	13.8 ³
	023	2,338	1,327	13.8
	028	2,783	1,327	14.3
	032	3,211	1,327	14.6
	034	3,366	1,295	14.7
	034	3,394	1,295	17.2
	034	3,427	1,295	17.2
	035	3,473	1,295	17.2
	035	3,533	1,295	17.2
	036	3,587	1,295	17.4
	037	3,651	1,295	17.4
	039	3,906	1,295	17.6
	045	4,466	1,295	17.7
	051	5,128	1,295	17.8
	056	5,638	1,295	17.9
	060	6,007	1,295	18.0
	063	6,326	1,295	18.1
	068	6,752	1,295	18.2
	072	7,213	1,295	18.5
	078	7,750	1,254	19.2
	082	8,243	1,254	19.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brown Swamp 2 (continued)	086	8,583	1,254	19.7
	088	8,824	1,254	19.7
	093	9,306	1,032	19.9
	098	9,778	1,032	20.1
	102	10,193	1,004	20.2
	107	10,666	1,004	20.4
	111	11,112	1,004	20.6
	116	11,629	1,004	20.9
	121	12,099	1,004	21.2
	126	12,605	1,004	21.7
	129	12,945	1,004	22.0
	130	12,991	1,004	22.9
	130	13,031	1,004	22.9
	133	13,268	1,004	23.3
	135	13,527	964	23.4
	138	13,766	964	23.5
	141	14,143	608	23.7
	Brunson Swamp	101	10,060	4,502
123		12,261	2,329	24.6 ³
134		13,369	2,305	24.6 ³
150		15,000	2,305	24.6 ³
156		15,647	2,305	24.6 ³
162		16,189	2,305	24.6 ³
164		16,407	2,305	24.6 ³
165		16,454	2,305	24.6 ³
165		16,529	2,305	24.6 ³
166		16,630	1,563	24.6 ³
167		16,675	1,563	24.6 ³
167		16,713	1,563	24.6 ³
172		17,159	1,563	24.6 ³
180		18,000	1,563	24.8
185		18,500	1,563	25.1
190		19,000	1,563	25.6
195		19,500	1,563	26.3
200		20,000	1,525	26.7
205		20,500	1,525	27.1
210		21,000	1,525	27.7
215	21,500	1,525	28.1	
220	22,000	1,486	28.5	
225	22,500	1,486	29.0	
230	23,000	1,486	29.5	
235	23,500	1,486	29.8	
238	23,792	1,452	30.0	
243	24,256	1,452	30.3	
250	25,000	1,452	30.9	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brunson Swamp (continued)	257	25,718	1,427	31.9
	262	26,164	1,427	32.3
	262	26,207	1,427	32.8
	263	26,250	1,427	32.8
	266	26,562	1,427	33.1
	270	27,000	1,397	33.7
	275	27,500	1,397	34.1
	282	28,237	1,397	34.8
	290	29,000	1,397	35.4
	295	29,500	1,356	35.8
	300	30,000	1,356	36.3
	305	30,500	1,356	36.7
	308	30,789	1,356	37.0
	308	30,828	1,356	37.9
	309	30,870	1,356	37.9
	315	31,500	1,308	38.6
	320	32,000	1,308	38.8
	325	32,500	1,308	39.1
	329	32,908	1,308	39.6
	335	33,500	1,270	40.1
	342	34,150	1,270	40.6
	348	34,821	1,229	41.1
	351	35,093	1,229	41.3
	351	35,130	1,229	42.4
	352	35,172	1,229	42.4
	356	35,581	1,229	42.7
	360	36,000	1,229	42.9
	365	36,500	1,197	43.2
	370	37,000	1,167	43.5
	375	37,500	1,167	43.8
	380	38,000	1,167	44.3
	385	38,500	1,140	44.9
	390	39,000	1,140	45.4
	395	39,500	1,140	45.8
	400	40,000	1,140	46.3
	405	40,500	1,140	46.9
	408	40,849	1,113	47.4
	414	41,380	1,113	48.3
	415	41,485	1,113	49.1
	416	41,568	1,113	49.1
	420	42,000	1,113	49.8
	425	42,500	1,113	50.1
	429	42,902	1,113	50.4
	429	42,937	1,113	50.8
	430	42,975	1,113	50.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Brunson Swamp (continued)	434	43,405	1,066	51.3
	438	43,802	1,066	51.7
	445	44,500	1,066	52.7
	449	44,945	1,066	53.2
	455	45,500	1,025	53.7
	460	46,000	1,025	54.3
	465	46,500	1,025	54.9
	470	47,000	1,025	55.4
	473	47,338	1,025	55.7
	474	47,372	1,025	56.4
	474	47,405	1,025	56.4
	480	48,000	1,025	56.9
	486	48,609	1,025	57.9
	492	49,160	975	58.5
	495	49,500	975	58.9
	500	50,000	975	59.7
	505	50,500	781	60.4
	510	51,000	781	61.0
	515	51,500	781	61.9
	520	52,000	781	62.8
	523	52,264	781	63.4
	527	52,730	781	64.5
	531	53,066	781	65.1
	535	53,500	734	65.7
	542	54,166	734	67.3
	547	54,672	734	68.1
	547	54,719	734	68.5
	548	54,753	734	68.5
	550	55,000	734	68.9
	555	55,500	699	69.4
	558	55,787	699	69.6
	558	55,825	699	70.1
	559	55,861	699	70.1
	562	56,210	699	70.7
	567	56,747	699	71.2
	575	57,500	657	72.1
	583	58,265	657	73.0
Buck Creek	098	9,844	3,638	21.0 ³
	105	10,458	3,638	21.0 ³
	110	11,018	3,530	21.0 ³
	115	11,502	3,530	21.0 ³
	120	12,017	3,530	21.0 ³
	124	12,392	3,530	21.0 ³
	129	12,944	3,530	21.0 ³
	135	13,464	3,530	21.0 ³

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Buck Creek (continued)	140	13,979	3,530	21.0 ³
	145	14,525	3,530	21.0 ³
	152	15,163	3,530	21.0 ³
	152	15,231	3,530	21.7
	153	15,311	3,530	21.7
	157	15,707	3,455	22.0
	163	16,255	3,455	22.1
	169	16,900	3,455	22.2
	176	17,613	3,438	22.4
	181	18,138	3,438	22.4
	188	18,781	3,438	22.5
	194	19,397	3,438	22.6
	200	20,021	3,438	22.8
	208	20,834	3,438	23.0
	209	20,851	3,438	23.0
	209	20,872	3,438	23.0
	213	21,276	3,438	23.1
	219	21,857	3,367	23.3
	223	22,314	3,367	23.4
	228	22,750	3,367	23.5
	235	23,482	3,367	23.8
	240	24,031	3,367	24.2
	247	24,652	3,343	24.4
	253	25,266	3,343	24.6
	259	25,876	3,343	24.8
	264	26,443	2,853	24.9
	270	26,955	2,853	24.9
	276	27,601	2,853	25.1
	282	28,198	2,772	25.3
	287	28,652	2,772	25.6
	292	29,195	2,772	25.9
	299	29,905	2,772	26.3
	304	30,426	2,772	26.5
	310	31,030	2,772	26.6
	315	31,507	2,746	26.8
	321	32,066	2,746	26.9
	326	32,634	2,718	27.0
	333	33,277	2,718	27.3
	340	33,977	2,718	27.7
	345	34,458	2,718	28.1
	349	34,926	2,718	28.5
	354	35,436	2,628	29.0
	360	35,955	2,628	29.6
	366	36,591	2,628	30.0
	371	37,102	2,628	30.2

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Buck Creek (continued)	377	37,688	1,756	30.5
	384	38,447	1,756	30.7
	391	39,111	1,756	31.4
	397	39,681	1,744	31.9
	401	40,134	1,744	32.2
	405	40,538	1,744	32.5
	406	40,582	1,744	32.6
	406	40,633	1,744	32.6
	410	40,965	1,744	32.9
	415	41,472	1,744	33.3
	417	41,697	1,710	33.4
	417	41,739	1,710	33.4
	418	41,777	1,710	33.4
	418	41,843	1,710	33.5
	419	41,942	1,710	33.5
	420	41,988	1,710	34.2
	420	42,041	1,710	34.2
	424	42,429	1,710	34.6
	430	42,974	1,710	34.7
	435	43,462	1,710	34.8
	440	44,026	1,710	35.2
	446	44,598	1,710	35.5
	451	45,052	1,676	35.6
	455	45,522	1,676	35.8
	461	46,090	1,164	36.0
	466	46,559	1,164	36.1
	472	47,162	1,164	36.3
	477	47,741	1,164	36.6
	484	48,391	1,024	36.9
	491	49,125	1,024	37.8
	496	49,640	874	38.5
	502	50,207	874	39.2
	507	50,726	874	39.8
	511	51,138	874	40.6
	512	51,199	874	42.0
	513	51,265	874	42.0
	516	51,552	874	42.2
	523	52,273	874	42.5
	530	53,024	874	43.8
	537	53,678	874	44.9
	543	54,330	765	46.6
	548	54,761	765	47.5
	552	55,199	765	48.3
	556	55,607	765	49.0
	560	56,024	765	49.7

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Buck Creek (continued)	565	56,546	765	50.7
	570	57,007	712	51.5
	575	57,507	712	52.2
	578	57,800	712	52.8
	578	57,837	712	54.1
	579	57,890	712	54.1
	583	58,310	666	54.4
	590	58,968	666	54.6
	594	59,407	666	55.1
	599	59,918	666	55.8
	604	60,408	666	56.6
	609	60,921	576	57.7
	615	61,450	576	58.8
	619	61,913	576	59.9
	622	62,232	576	60.3
	625	62,503	483	60.7
	625	62,549	483	62.9
	626	62,586	483	62.9
	629	62,887	483	63.1
	632	63,198	483	63.7
	636	63,597	483	65.4
	639	63,913	483	66.1
	642	64,222	483	66.5
	Buck Creek Tributary 2	070	6,997	378
074		7,395	378	22.4 ³
078		7,834	378	22.4 ³
083		8,281	319	23.1
087		8,720	319	24.0
090		9,032	319	24.8
094		9,446	319	26.3
Bug Swamp	011	1,140	1,948	40.1 ³
	019	1,871	1,948	40.4
	024	2,371	1,948	40.7
	030	2,971	1,948	41.1
	033	3,281	1,913	41.6
	036	3,636	1,913	42.1
	037	3,717	1,913	45.6
	038	3,785	1,913	45.6
	042	4,211	1,913	45.6
	047	4,684	1,883	45.7
	053	5,252	1,883	45.7
	058	5,754	1,883	45.8
	064	6,394	1,883	45.9
074	7,367	1,883	46.1	
082	8,160	1,789	46.4	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Bug Swamp (continued)	087	8,696	1,789	46.6
	095	9,480	1,789	47.2
	102	10,160	1,789	47.9
	108	10,837	1,743	48.6
	114	11,351	1,743	49.1
	119	11,905	1,743	49.4
	123	12,330	1,743	49.6
	129	12,851	1,743	50.0
	133	13,311	1,743	50.5
	137	13,703	1,712	50.9
	140	14,023	1,712	51.3
	144	14,377	1,712	51.8
	148	14,772	1,712	52.2
	151	15,111	1,712	52.4
	153	15,337	1,712	52.6
	159	15,855	1,712	53.0
	165	16,463	1,712	53.6
	170	17,000	1,712	54.6
	174	17,430	1,712	55.2
	179	17,857	1,712	55.9
	183	18,276	1,712	56.2
	189	18,944	1,352	56.6
	193	19,347	1,333	56.9
	197	19,747	1,333	57.3
	205	20,453	1,333	57.9
	205	20,515	1,333	59.5
	206	20,573	1,333	59.5
	209	20,944	1,333	59.5
	212	21,237	1,333	59.6
	216	21,593	1,333	59.6
	217	21,691	1,333	59.7
	218	21,776	1,333	59.7
	221	22,142	1,333	59.8
	226	22,566	1,333	59.9
	230	22,997	1,333	60.0
	235	23,529	976	60.1
	240	24,046	976	60.4
	241	24,130	976	60.9
	242	24,226	976	60.9
	246	24,625	976	61.2
	253	25,285	976	61.9
Bull Creek	140	14,010	104,330	12.6 ⁴
	153	15,302	104,390	12.8 ⁴
	170	16,982	104,390	13.0 ⁴
	180	18,040	104,390	13.1 ⁴

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Bull Creek (continued)	190	19,049	104,390	13.2 ⁴
	198	19,787	104,420	13.3 ⁴
	208	20,800	104,420	13.4 ⁴
	216	21,600	104,490	13.5 ⁴
	234	23,436	104,490	13.6 ⁴
	240	24,000	126,985	13.6 ⁴
	248	24,800	126,985	13.7 ⁴
	262	26,150	126,985	13.8 ⁴
	269	26,875	126,985	13.9 ⁴
	274	27,436	126,985	13.9 ⁴
	289	28,919	126,985	14.0 ⁴
	298	29,770	126,985	14.1 ⁴
	315	31,499	126,985	14.2 ⁴
	331	33,085	127,080	14.3 ⁴
	339	33,887	127,080	14.4 ⁴
	349	34,879	127,080	14.4 ⁴
	399	39,910	127,080	14.4 ⁴
	414	41,362	127,080	14.5 ⁴
	453	45,318	127,080	14.5 ⁴
	460	45,979	127,080	14.6 ⁴
	464	46,400	127,080	14.7 ⁴
	474	47,355	127,080	14.8 ⁴
	484	48,368	127,080	14.9 ⁴
	496	49,553	128,230	15.1 ⁴
	511	51,133	128,230	15.2 ⁴
	Camp Swamp	009	894	1,620
014		1,375	1,620	30.5 ³
018		1,843	1,620	30.5 ³
023		2,272	1,620	30.7
027		2,746	1,620	31.0
031		3,097	1,611	31.3
036		3,579	1,611	31.6
036		3,620	1,611	31.7
037		3,652	1,611	31.7
040		3,970	1,611	32.0
045		4,472	1,611	32.2
050		4,963	1,530	32.3
055		5,487	1,530	32.4
060		6,014	1,530	32.6
065	6,456	1,530	32.8	
069	6,904	1,530	32.9	
078	7,843	1,530	33.2	
Cane Bay	005	450	1,137	22.4 ³
	007	739	1,137	22.6
	008	764	1,137	24.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Cane Bay (continued)	008	788	1,137	24.0
	009	900	1,137	24.0
	014	1,350	1,137	24.2
	018	1,800	1,137	24.5
	023	2,250	1,137	25.2
	027	2,700	1,137	26.0
	032	3,150	1,137	27.0
	036	3,600	1,104	28.4
	041	4,050	683	28.9
	045	4,500	650	29.1
	050	4,950	650	29.4
	054	5,400	650	29.8
	059	5,850	650	30.1
	064	6,408	592	30.3
Cane Branch	005	477	725	56.0
	010	1,021	725	57.2
	016	1,625	725	58.3
	020	2,040	725	58.8
	025	2,465	725	59.5
Cartwheel Branch	008	839	281	60.4 ³
	015	1,500	281	60.4 ³
	020	2,000	281	60.4 ³
	020	2,043	281	61.7
	021	2,076	281	63.5
	021	2,148	281	63.5
	025	2,500	281	63.5
	028	2,826	281	63.5
	031	3,060	281	64.5
	031	3,077	281	65.0
	031	3,097	281	65.0
	035	3,500	164	65.5
	040	4,000	164	65.5
	045	4,500	164	65.5
	051	5,109	164	65.6
Cedar Creek	175	17,500	2,149	49.7 ³
	180	18,000	2,149	49.7 ³
	185	18,500	2,020	49.7 ³
	190	19,000	2,020	49.7 ³
	195	19,500	2,020	49.7 ³
	200	20,000	1,993	49.7 ³
	205	20,500	1,993	49.7 ³
	210	21,000	1,993	49.7 ³
	215	21,500	1,993	49.7 ³
	220	22,000	1,993	49.7 ³
	225	22,500	1,993	49.7 ³

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Cedar Creek (continued)	230	23,000	1,993	50.6
	236	23,592	1,993	52.0
	241	24,063	1,993	52.8
	241	24,112	1,993	53.4
	242	24,154	1,993	53.4
	248	24,840	1,700	54.3
	254	25,450	1,700	54.6
	260	26,000	1,700	54.8
	265	26,500	1,700	55.1
	270	27,000	1,700	55.3
	275	27,500	1,667	55.5
	278	27,768	1,667	55.6
	278	27,823	1,667	56.4
	279	27,887	1,667	56.4
	285	28,500	1,667	57.0
	290	29,000	1,667	57.2
	295	29,500	1,667	57.5
	300	30,000	1,667	57.8
	305	30,500	1,667	58.0
	310	31,000	1,634	58.2
	315	31,500	1,634	58.4
	320	32,000	1,598	58.6
	325	32,500	1,598	58.8
	330	33,000	1,598	59.0
	335	33,500	1,598	59.2
	340	34,000	1,598	59.3
	345	34,500	1,551	59.4
	350	35,000	1,551	59.6
	355	35,500	1,551	59.9
	361	36,149	1,413	60.4
	367	36,728	1,413	60.9
	374	37,400	941	61.5
	380	38,000	941	62.1
	385	38,500	941	62.5
	390	39,000	941	63.1
	395	39,500	941	64.0
	399	39,855	941	64.5
	402	40,189	917	65.0
	402	40,248	917	67.2
	403	40,301	917	67.2
	406	40,614	917	67.5
	410	41,000	917	67.5
	415	41,500	917	67.7
	420	42,000	917	68.3
	425	42,500	917	70.2

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Cedar Creek (continued)	430	43,000	568	70.7
	435	43,500	568	71.1
	440	44,000	568	72.4
	445	44,477	568	73.9
	445	44,522	568	75.4
	446	44,574	568	75.4
	450	45,000	568	75.9
	455	45,500	568	76.4
Cedar Creek Tributary 1	005	450	681	53.8 ³
	008	814	681	53.8 ³
	008	843	681	56.8
	009	881	681	56.8
	014	1,350	681	56.9
	018	1,800	681	57.0
	023	2,250	681	57.1
	027	2,700	681	57.4
	032	3,150	681	57.8
	036	3,600	681	58.4
	041	4,050	643	58.8
	045	4,500	643	59.2
	050	4,950	643	59.7
	054	5,400	643	60.1
	059	5,850	643	60.7
	063	6,342	583	61.3
	064	6,376	583	61.9
	064	6,403	583	61.9
	069	6,940	583	62.4
	073	7,347	583	62.6
	078	7,836	473	62.8
	082	8,166	473	63.0
	082	8,194	473	63.0
	082	8,228	473	63.0
	087	8,656	473	63.2
	092	9,162	473	63.6
	096	9,612	473	64.0
	101	10,062	473	64.2
	105	10,512	473	64.3
Chinners Swamp	045	4,452	3,400	24.8 ⁵
	050	5,003	3,373	24.9 ⁵
	061	6,067	3,373	25.0 ⁵
	062	6,170	3,373	25.0 ⁵
	062	6,246	3,373	25.0 ⁵
	071	7,147	3,373	25.1 ⁵
	085	8,544	2,616	25.5 ⁵
	100	9,960	2,616	26.0 ⁵

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Chinners Swamp (continued)	110	10,984	2,501	26.0 ⁵
	120	12,000	2,501	27.2 ⁵
	132	13,167	2,501	27.3 ⁵
	141	14,126	2,501	27.4 ⁵
	153	15,318	2,456	27.5 ⁵
	160	16,021	2,456	27.5 ⁵
	169	16,890	2,456	27.5 ⁵
	181	18,060	2,456	27.9
	221	22,098	2,404	30.0
	235	23,500	2,391	31.3
	240	24,000	2,391	32.2
	245	24,500	2,391	32.7
	250	25,000	2,391	33.2
	255	25,500	2,391	33.6
	260	26,000	2,391	34.0
	264	26,376	2,350	34.3
	264	26,438	2,350	35.8
	265	26,482	2,350	35.8
	270	27,000	2,350	36.2
	275	27,500	2,350	36.3
	280	28,000	2,350	36.3
	285	28,500	2,267	36.3
	290	29,000	2,267	36.4
	295	29,500	2,267	36.5
	300	30,000	2,267	36.6
	305	30,500	2,267	36.8
	310	31,000	2,267	37.0
	315	31,500	2,233	37.4
	320	32,000	2,233	37.8
	325	32,500	2,233	38.2
	330	33,000	2,160	38.5
	335	33,500	2,160	38.7
	340	34,000	2,160	38.9
	345	34,500	2,160	39.1
	350	35,000	2,160	39.4
	355	35,500	2,160	39.7
	360	36,000	2,160	40.2
	364	36,437	2,160	40.7
	365	36,488	2,160	42.4
	365	36,538	2,160	42.4
	370	37,000	1,688	42.8
	376	37,591	1,688	42.9
	383	38,271	1,688	43.4
	390	39,000	1,688	44.1
	395	39,500	1,662	44.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Chinners Swamp (continued)	400	40,000	1,662	44.7
	406	40,573	1,662	45.0
	410	41,000	1,662	45.2
	415	41,500	1,662	45.7
	420	42,000	1,662	46.0
	425	42,500	1,662	46.2
	430	43,000	1,662	46.4
	435	43,500	1,588	46.6
	440	44,000	1,588	47.0
	445	44,516	1,551	47.5
	446	44,629	1,551	48.0
	447	44,713	1,551	48.0
	450	45,000	1,551	48.6
	455	45,500	1,551	48.7
	461	46,128	1,499	49.1
	462	46,166	1,499	50.7
	462	46,209	1,499	50.7
	465	46,500	1,499	51.1
	471	47,107	1,499	51.1
	475	47,500	1,499	51.2
	481	48,088	1,499	51.4
	488	48,777	1,499	51.8
	492	49,165	1,499	52.2
	495	49,500	1,499	52.4
	500	50,000	1,459	52.8
	505	50,500	1,459	53.2
	510	51,000	1,459	53.6
	515	51,500	1,419	53.9
	519	51,910	1,419	54.1
	525	52,500	1,419	54.5
	529	52,938	1,419	54.7
	535	53,500	1,419	55.0
	540	54,022	1,419	55.5
	546	54,591	1,419	56.4
	550	55,000	1,419	57.0
	553	55,325	1,419	57.4
	559	55,872	1,381	58.0
	565	56,500	1,381	58.6
	570	57,000	1,381	59.6
	575	57,500	1,302	60.1
	581	58,142	1,302	60.5
	588	58,767	1,302	60.9
	592	59,203	1,302	61.1
	597	59,674	1,302	61.3
	601	60,059	1,275	61.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Chinners Swamp (continued)	601	60,119	1,275	61.9
	602	60,161	1,275	61.9
	605	60,497	1,275	62.4
	610	61,000	1,275	63.2
	615	61,500	1,275	64.0
	620	62,000	1,275	64.4
	625	62,500	1,275	64.8
	630	63,000	1,275	65.1
	636	63,581	1,231	65.5
	641	64,074	1,231	65.8
	641	64,123	1,231	66.1
	642	64,175	1,231	66.1
	645	64,500	1,231	66.4
	650	65,000	1,231	67.2
	655	65,500	1,231	67.7
	660	66,000	1,231	68.3
	665	66,500	1,188	68.9
	669	66,933	1,188	69.2
	675	67,500	1,188	69.6
	680	68,000	1,188	69.9
	685	68,500	1,188	70.7
	690	69,000	1,188	71.7
	694	69,391	1,188	72.1
	699	69,922	1,188	72.7
	701	70,115	1,188	72.9
Chinners Swamp Tributary 1	032	3,211	220	31.0 ³
	037	3,678	220	32.3
	040	3,956	220	33.4
	044	4,381	220	35.3
	046	4,611	220	38.1
	049	4,874	220	40.7
	052	5,206	220	41.3
	055	5,500	220	41.5
Collins Creek	283	28,336	276	19.3
	287	28,746	276	19.8
	292	29,235	276	20.5
	298	29,770	276	21.2
	304	30,378	276	21.8
	308	30,837	276	21.9
	313	31,303	276	22.0
Cowford Swamp	010	1,000	1,480	15.3 ³
	015	1,500	1,480	15.3 ³
	020	2,000	1,480	15.3 ³
	025	2,500	1,480	15.3 ³
	030	3,000	1,480	15.3 ³

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Cowford Swamp (continued)	035	3,500	1,480	15.3 ³
	040	4,000	1,443	15.3 ³
	045	4,500	1,443	15.3 ³
	050	5,000	1,443	15.3 ³
	055	5,500	1,443	15.3 ³
	060	6,000	1,443	15.3 ³
	065	6,500	1,443	15.3 ³
	070	7,000	1,443	15.3 ³
	074	7,431	1,364	15.3 ³
	080	8,000	1,364	15.3 ³
	087	8,686	1,364	15.3 ³
	090	9,050	1,364	15.3 ³
	095	9,500	1,364	15.3 ³
	100	10,000	1,364	15.3 ³
	104	10,442	1,364	15.3 ³
	105	10,500	1,364	15.3 ³
	106	10,571	1,364	15.3 ³
	110	11,000	1,364	15.3 ³
	115	11,500	1,338	15.3 ³
	119	11,930	1,338	15.3 ³
	125	12,500	1,241	15.3 ³
	130	13,000	1,241	15.3 ³
	135	13,500	1,241	15.3 ³
	140	14,000	1,241	15.3 ³
	145	14,540	1,241	15.3 ³
	151	15,076	1,196	15.3 ³
	156	15,575	1,196	15.3 ³
	161	16,076	1,196	15.3 ³
	166	16,576	1,196	15.3 ³
	171	17,076	1,196	15.3 ³
	176	17,615	1,196	15.3 ³
	182	18,192	1,196	15.3 ³
188	18,821	1,167	15.3 ³	
189	18,892	1,167	15.3 ³	
189	18,937	1,167	15.3 ³	
193	19,297	1,167	15.3 ³	
197	19,683	1,122	15.3 ³	
202	20,248	1,122	15.3 ³	
208	20,752	1,122	15.3 ³	
213	21,251	1,122	15.3 ³	
216	21,583	1,122	15.3 ³	
223	22,261	1,122	15.3 ³	
228	22,780	1,122	15.3 ³	
237	23,681	1,078	15.4	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Cowpen Swamp	023	2,304	1,406	24.6 ³
	027	2,714	1,366	24.8
	032	3,186	1,366	25.0
	036	3,646	1,366	25.4
	042	4,187	1,366	26.2
	046	4,625	1,366	26.5
	052	5,171	1,258	26.7
	058	5,755	1,258	26.9
	063	6,303	1,252	27.0
	067	6,699	1,252	27.2
	073	7,267	1,209	27.5
	077	7,657	1,209	27.8
	081	8,094	1,209	28.0
	086	8,624	1,209	28.4
	091	9,070	1,209	28.7
	095	9,514	1,209	28.9
	100	9,971	1,209	29.1
	103	10,274	1,209	29.1
	103	10,320	1,209	31.2
	104	10,359	1,209	31.2
	107	10,708	1,209	31.9
	111	11,131	1,073	31.9
	116	11,622	1,073	32.1
	123	12,287	1,073	32.3
129	12,935	950	32.5	
135	13,450	950	32.7	
140	13,976	950	33.0	
145	14,500	900	33.3	
150	14,987	900	33.4	
150	15,016	900	34.2	
150	15,044	900	34.2	
153	15,343	900	34.8	
157	15,743	900	34.9	
161	16,086	900	35.0	
Crab Tree Swamp	210	21,013	798	17.6
	215	21,530	798	19.6
	220	22,036	798	20.4
	225	22,465	798	21.1
	230	22,957	798	22.1
	235	23,521	798	23.9
	236	23,556	798	25.0
	236	23,588	798	25.0
	240	23,969	798	25.5
244	24,418	798	25.6	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Crab Tree Swamp (continued)	248	24,831	743	25.7
	252	25,210	684	25.9
	257	25,672	684	26.2
Crab Tree Swamp Tributary	044	4,388	72	20.1
	046	4,558	72	20.1
	048	4,814	72	20.2
	051	5,088	72	20.2
Crab Tree Swamp Tributary No. 1	025	2,506	201	28.5
	026	2,628	201	28.5
	028	2,787	201	28.5
	030	2,970	201	28.6
	031	3,127	201	28.6
	033	3,273	201	28.8
	034	3,433	201	29.6
	039	3,861	201	29.8
	042	4,166	201	29.9
	042	4,200	201	30.3
	042	4,231	201	30.3
	046	4,627	201	30.4
	Crab Tree Swamp Tributary No. 3	024	2,411	131
025		2,531	131	31.0
027		2,723	131	31.0
Cross Swamp	108	10,807	588	32.1
	111	11,050	588	32.3
	115	11,537	588	33.2
	118	11,825	588	33.7
	121	12,087	588	34.0
	124	12,420	588	34.7
	131	13,050	588	35.6
	Dawsey Swamp	012	1,228	1,270
015		1,486	1,270	39.3 ³
018		1,815	1,270	39.3 ³
022		2,186	1,270	39.3 ³
026		2,576	1,270	39.3 ³
028		2,785	1,223	39.3 ³
028		2,829	1,223	39.3 ³
029		2,875	1,223	39.3 ³
032		3,189	1,223	39.3 ³
036		3,574	1,223	39.3 ³
040		3,959	1,223	39.3 ³
	044	4,393	1,223	39.3 ³
	049	4,918	1,223	39.4
	053	5,348	1,223	39.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Dawsey Swamp (continued)	058	5,773	1,223	40.2
	062	6,227	1,223	41.2
	066	6,582	1,223	41.7
	070	6,973	1,178	42.4
	074	7,432	1,178	43.4
	080	7,987	1,178	43.9
	085	8,472	1,178	44.3
	087	8,746	1,178	44.5
	088	8,785	1,178	44.7
	088	8,821	1,178	44.7
	091	9,050	1,178	45.0
	094	9,447	1,178	45.4
	099	9,856	1,178	46.0
	101	10,135	747	46.5
	106	10,603	747	47.0
	111	11,112	747	47.8
	117	11,667	747	48.8
	118	11,813	747	49.1
	121	12,142	747	50.7
	125	12,546	747	51.1
	128	12,781	747	51.2
	131	13,106	747	51.4
	131	13,142	747	51.7
	132	13,183	747	51.7
	135	13,548	747	52.0
	140	14,010	747	53.5
	146	14,579	713	54.8
	151	15,083	518	55.1
	157	15,716	518	55.3
	161	16,130	518	55.8
	164	16,390	518	56.3
	164	16,411	518	58.4
	164	16,431	518	58.4
	168	16,774	471	58.4
	173	17,297	471	59.7
	176	17,648	471	60.7
	181	18,143	471	61.9
	184	18,410	471	62.5
	190	18,988	471	63.4
Deep Branch	008	844	1,263	24.9 ³
	014	1,379	1,263	24.9 ³
	017	1,725	1,263	24.9
	020	2,031	1,263	25.2
	023	2,300	1,263	25.4
	023	2,345	1,263	26.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)	
Deep Branch (continued)	024	2,395	1,263	26.8	
	027	2,683	1,225	27.2	
	032	3,177	1,225	27.3	
	038	3,750	1,225	27.4	
	043	4,318	1,225	27.6	
	050	4,950	1,225	27.8	
	055	5,533	995	28.1	
	060	5,999	995	28.2	
	064	6,417	995	28.4	
	069	6,901	995	28.9	
	074	7,437	995	29.5	
	080	7,967	995	30.0	
	085	8,469	970	30.6	
	088	8,805	970	30.8	
	091	9,065	970	30.9	
	Evans Branch	051	5,103	403	27.2 ³
		052	5,240	403	27.2 ³
		054	5,368	403	27.2 ³
		055	5,489	403	27.3
057		5,675	403	27.9	
060		6,000	403	28.7	
065		6,500	403	29.5	
070		7,000	403	30.5	
072		7,203	403	31.2	
072		7,230	403	31.7	
073		7,258	403	31.7	
075		7,500	403	32.3	
078		7,797	403	32.7	
079		7,860	403	34.8	
079		7,891	403	34.8	
085		8,500	403	35.3	
090		9,000	403	36.3	
095		9,500	403	38.0	
100		10,000	312	39.9	
102		10,231	312	41.6	
103	10,327	312	42.6		
106	10,591	312	43.6		
112	11,176	312	44.9		
117	11,679	312	46.5		
117	11,719	312	47.4		
118	11,759	312	47.4		
120	12,000	312	47.8		
125	12,500	312	49.3		
129	12,868	312	51.6		

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Evans Branch (continued)	129	12,901	312	54.3
	129	12,942	312	54.3
	133	13,311	312	54.3
Galivants Ferry	056	5,582	1,332	36.6 ³
	060	6,040	1,332	36.6 ³
	064	6,382	1,332	36.6 ³
	065	6,458	1,332	36.6 ³
	065	6,503	1,332	36.6 ³
	070	7,033	233	36.6 ³
	074	7,442	233	36.6 ³
	075	7,503	233	39.1
	076	7,572	233	39.1
	079	7,937	233	39.1
	083	8,270	233	39.2
	086	8,589	233	39.9
	089	8,877	233	40.6
	092	9,178	233	41.0
	095	9,516	233	41.5
	097	9,675	205	41.7
	098	9,758	205	42.8
	099	9,855	205	42.8
	101	10,097	205	42.8
	104	10,380	205	42.8
Gaskins Branch	006	596	646	73.6
	009	890	646	74.1
	011	1,091	646	74.4
	015	1,500	646	76.2
	020	2,000	646	77.3
	025	2,500	646	77.9
	030	3,000	646	78.7
	035	3,500	646	79.5
	040	4,000	646	80.6
	045	4,500	646	81.8
	050	5,000	646	83.0
	051	5,074	646	83.2
	051	5,099	646	83.2
	051	5,118	646	83.2
	052	5,180	646	83.3
	052	5,223	646	84.2
	053	5,274	646	84.2
	054	5,381	646	84.3
	054	5,404	392	84.5
	054	5,426	392	84.5
	055	5,545	392	84.5
	057	5,655	392	84.6

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Gaskins Branch (continued)	057	5,673	392	84.7
	057	5,687	392	84.7
	057	5,716	392	84.7
	057	5,737	392	85.0
	058	5,757	392	85.0
	059	5,905	392	85.1
	060	6,012	392	85.2
	061	6,051	392	85.8
	061	6,103	392	85.8
	065	6,473	392	86.1
	066	6,593	392	86.4
	066	6,624	392	86.4
	066	6,646	392	86.4
	070	6,973	392	87.1
	075	7,473	392	87.7
	076	7,617	392	87.8
	077	7,655	392	88.4
	077	7,708	392	88.4
	080	7,973	392	88.8
	083	8,263	302	89.1
	083	8,283	302	89.7
	083	8,311	302	89.7
	085	8,479	302	89.9
	090	8,993	302	91.3
	094	9,368	302	93.6
Great Pee Dee River	000	0	128,230	15.2 ⁴
	027	2,678	128,230	15.2 ⁴
	044	4,423	128,230	15.3 ⁴
	058	5,829	128,230	15.5 ⁴
	066	6,557	128,230	15.7 ⁴
	067	6,668	128,230	15.7 ⁴
	068	6,759	128,230	15.7 ⁴
	078	7,828	128,280	16.0 ⁴
	095	9,469	128,280	16.2 ⁴
	107	10,707	128,280	16.3 ⁴
	120	11,996	128,280	16.4 ⁴
	131	13,133	128,405	16.5 ⁴
	149	14,887	128,405	16.7 ⁴
	163	16,344	128,405	16.8 ⁴
	183	18,292	128,405	16.9 ⁴
	198	19,797	128,700	17.0 ⁴
	208	20,825	128,700	17.1 ⁴
	223	22,320	128,700	17.3 ⁴
	234	23,366	128,700	17.4 ⁴
	242	24,166	128,700	17.4 ⁴

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Great Pee Dee River (continued)	249	24,910	128,700	17.5 ⁴
	268	26,798	128,700	17.6 ⁴
	278	27,839	128,700	17.7 ⁴
	294	29,350	128,700	17.7 ⁴
	304	30,356	128,700	17.8 ⁴
	317	31,702	128,700	17.9 ⁴
Grier Swamp	058	5,792	1,858	13.8 ³
	066	6,619	997	13.8 ³
	072	7,163	997	13.8 ³
	078	7,755	997	13.8
	082	8,216	997	14.4
	087	8,711	940	15.2
	091	9,127	940	16.0
	094	9,385	940	16.6
	095	9,456	940	17.1
	095	9,519	940	17.1
	097	9,683	940	17.4
	102	10,190	940	18.0
	107	10,673	940	18.3
	115	11,467	940	19.0
	122	12,171	887	20.2
	129	12,875	887	20.6
	133	13,327	887	20.8
	140	13,996	833	21.4
	145	14,497	833	22.6
	150	14,973	833	23.7
	152	15,239	833	24.3
	155	15,519	833	25.1
	157	15,707	833	25.4
	157	15,733	833	26.0
	158	15,753	833	26.0
	160	15,950	833	26.5
	162	16,240	833	26.9
	166	16,562	833	27.3
	169	16,879	833	27.7
	174	17,365	833	28.1
	179	17,852	461	28.2
	184	18,418	461	28.3
	188	18,806	461	28.4
	193	19,337	461	28.6
	198	19,779	461	29.2
Grier Swamp Tributary 2	004	446	248	28.2 ³
	006	634	248	28.2 ³
	010	1,002	248	28.2 ³
	015	1,500	244	30.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Grier Swamp Tributary 2 (continued)	018	1,835	244	31.5
	021	2,126	244	32.1
	024	2,355	244	32.4
	026	2,621	244	32.8
	027	2,708	244	33.0
	028	2,751	244	35.1
	028	2,800	244	35.1
	028	2,824	244	35.1
	Halfway Swamp	013	1,314	1,094
019		1,893	1,094	11.9 ³
023		2,322	1,094	11.9 ³
027		2,655	1,094	11.9 ³
033		3,291	972	11.9 ³
037		3,672	972	11.9 ³
041		4,055	972	11.9 ³
043		4,300	972	11.9 ³
043		4,341	972	11.9 ³
044		4,380	972	11.9 ³
045		4,525	957	11.9 ³
049		4,865	957	11.9 ³
053		5,253	957	11.9 ³
056		5,598	957	11.9 ³
058		5,801	957	11.9 ³
058		5,834	957	11.9 ³
059		5,874	957	11.9 ³
061		6,110	957	11.9 ³
065		6,467	957	11.9 ³
068		6,782	957	11.9 ³
071		7,122	957	11.9 ³
074		7,445	409	11.9 ³
078		7,782	409	11.9 ³
083		8,314	409	11.9 ³
090		9,028	356	11.9 ³
097		9,710	356	12.2
101		10,065	356	12.9
101	10,080	356	15.4	
101	10,098	356	15.4	
104	10,445	356	15.7	
Hellhole Swamp	010	1,013	767	57.0
	015	1,545	767	57.6
	016	1,581	767	58.9
	016	1,627	767	58.9
	020	1,963	767	59.4
	023	2,317	734	59.5
028	2,787	734	59.6	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Hellhole Swamp (continued)	032	3,236	734	59.7
	037	3,740	734	60.1
	042	4,180	734	61.3
	047	4,740	734	62.1
	052	5,240	673	62.7
	057	5,740	673	63.3
	062	6,240	673	64.0
	067	6,732	631	64.6
	071	7,138	631	65.1
	073	7,324	631	65.4
	074	7,353	631	66.0
	074	7,389	631	66.0
	075	7,517	631	66.3
	076	7,598	631	66.3
	076	7,635	631	66.9
	077	7,692	631	66.9
	084	8,379	631	68.2
	089	8,856	575	68.9
	094	9,356	575	71.4
	099	9,856	575	73.0
	104	10,356	575	74.6
	109	10,856	575	76.1
	111	11,081	575	76.6
	114	11,356	575	77.3
	114	11,428	575	80.2
	115	11,528	575	80.2
	118	11,843	575	80.2
Honey Camp Branch	035	3,543	1,237	49.1 ³
	040	4,000	1,225	49.1 ³
	045	4,500	1,225	50.1
	050	5,000	1,225	50.9
	055	5,500	1,225	51.4
	060	6,000	1,225	52.0
	065	6,496	1,225	52.6
	070	7,000	1,180	53.2
	075	7,500	1,180	54.1
	080	8,000	1,180	54.7
	085	8,500	1,180	55.1
	089	8,875	1,180	55.5
	090	8,981	1,180	56.6
	090	9,038	1,180	56.6
	095	9,500	1,180	57.3
	100	10,000	1,135	57.6
	105	10,500	1,135	58.0
	110	11,000	1,135	58.4

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Honey Camp Branch (continued)	115	11,500	1,101	58.9
	120	12,000	974	59.3
	125	12,500	974	59.7
	130	13,000	974	60.2
	132	13,243	974	60.6
	134	13,385	974	61.7
	135	13,470	974	61.7
	137	13,729	974	62.3
	140	14,000	974	62.8
	145	14,502	974	63.4
	147	14,663	974	63.6
	150	15,010	974	63.9
	155	15,499	918	64.4
	157	15,679	918	64.5
	158	15,769	918	64.6
	160	16,014	918	64.7
Hook Branch	038	3,799	497	56.3
	043	4,263	497	57.4
	049	4,853	497	58.2
	052	5,193	497	58.6
	053	5,252	497	58.6
	053	5,308	497	58.6
	055	5,503	497	58.8
	059	5,926	497	59.1
	066	6,564	497	59.8
	070	7,003	497	60.8
	074	7,376	497	61.5
	078	7,809	497	62.3
	083	8,298	497	63.2
	088	8,759	497	64.0
	091	9,148	497	64.9
Horse Pen Creek	028	2,836	548	23.8 ³
	033	3,264	548	23.8 ³
	036	3,596	548	23.8 ³
	040	3,959	548	23.8 ³
	043	4,348	548	23.8
	047	4,673	548	24.2
	047	4,720	548	24.6
	048	4,774	548	24.6
	052	5,212	548	25.3
	057	5,709	548	25.8
	061	6,077	468	26.0
	067	6,672	468	26.2
	071	7,125	468	27.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Horse Savannah Swamp	012	1,245	527	18.8 ³
	017	1,704	527	18.8 ³
	022	2,183	527	19.1
	023	2,335	527	19.9
	026	2,556	527	19.9
	034	3,393	527	20.5
	039	3,854	527	20.8
	049	4,854	527	21.7
	Horsemint Trail	146	14,580	778
151		15,140	778	15.1 ³
155		15,510	778	15.1 ³
160		16,010	778	15.1 ³
165		16,510	778	15.1 ³
167		16,724	778	15.1 ³
168		16,775	778	15.1 ³
168		16,820	778	15.1 ³
170		17,010	778	15.1 ³
175		17,510	778	15.4
180		18,010	744	15.8
185		18,510	744	16.3
190		19,010	744	16.6
195		19,510	744	16.8
200		20,010	744	17.2
204		20,446	744	17.5
Huggins Creek		005	507	1,433
	009	898	1,433	75.9
	015	1,500	1,433	76.4
	019	1,925	1,433	76.6
	020	2,000	1,433	76.9
	021	2,090	1,433	76.9
	025	2,500	1,433	77.2
	030	3,000	1,433	77.5
	035	3,500	1,433	77.6
	040	4,000	1,260	77.8
	045	4,500	1,260	78.3
050	5,000	1,260	78.8	
052	5,236	1,260	79.1	
055	5,500	1,260	79.5	
060	6,000	1,260	79.9	
065	6,500	1,260	80.1	
070	7,000	1,260	80.4	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Huggins Creek (continued)	075	7,500	1,260	80.7
	080	8,000	1,260	81.0
	085	8,500	1,260	81.5
	090	9,000	1,086	82.3
	095	9,500	1,086	82.9
	101	10,102	948	83.5
	102	10,156	948	83.8
	102	10,201	948	83.8
	110	11,000	755	84.3
	115	11,500	755	84.5
	120	12,000	755	84.8
	125	12,500	755	85.3
	130	13,000	755	85.8
	135	13,500	692	86.2
	137	13,669	692	86.3
	137	13,711	692	86.8
	138	13,773	692	86.8
	140	14,049	692	87.2
	145	14,500	692	87.9
Hunting Swamp	141	14,128	2,462	19.5 ³
	143	14,277	2,462	19.5 ³
	143	14,332	2,462	19.5 ³
	144	14,395	2,462	19.5 ³
	150	15,000	2,401	19.5 ³
	155	15,500	2,401	19.5 ³
	159	15,916	2,401	19.5 ³
	164	16,364	2,401	19.5 ³
	167	16,744	2,401	19.5 ³
	175	17,500	2,388	19.5 ³
	180	18,000	2,388	19.5 ³
	185	18,500	2,388	19.5 ³
	190	19,000	2,388	19.5 ³
	194	19,387	2,388	19.5 ³
	200	20,000	2,388	19.5 ³
	205	20,500	2,388	19.5 ³
	210	21,000	2,388	19.5 ³
	215	21,500	2,098	19.5 ³
	220	22,000	2,098	19.5 ³
	225	22,500	2,098	19.5 ³
	230	23,000	2,098	19.5 ³
	235	23,500	1,994	19.5 ³
	240	24,000	1,994	19.5 ³
	245	24,500	1,994	19.5 ³
	250	25,000	1,994	19.5 ³
	255	25,500	1,994	19.5 ³

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Hunting Swamp (continued)	260	26,000	1,994	19.5 ³
	265	26,500	1,994	19.5 ³
	270	27,000	1,964	19.5 ³
	275	27,500	1,964	19.5 ³
	280	28,000	1,898	19.5 ³
	284	28,381	1,898	19.5 ³
	284	28,434	1,898	19.5 ³
	285	28,487	1,898	19.5 ³
	290	29,000	1,898	19.7
	295	29,500	1,898	19.9
	300	30,000	1,898	20.1
	305	30,500	1,898	20.3
	310	31,000	1,864	20.4
	315	31,500	1,864	20.5
	320	32,000	1,807	20.6
	325	32,500	1,807	20.6
	330	33,000	1,807	20.7
	335	33,500	1,807	20.8
	340	34,000	1,617	21.0
	345	34,500	1,617	21.2
	351	35,082	1,617	21.4
Iron Springs Branch	010	1,000	1,265	64.0 ³
	015	1,500	1,265	64.0 ³
	017	1,661	1,265	64.2
	018	1,838	1,265	64.2
	022	2,203	1,265	64.7
	027	2,748	1,265	65.1
	028	2,841	1,265	65.8
	029	2,937	1,265	65.8
	031	3,141	1,265	66.0
	040	4,000	1,265	66.4
	045	4,500	1,265	66.7
	050	5,000	1,265	67.1
	055	5,500	1,265	67.5
	060	6,000	1,265	68.1
	065	6,500	1,265	68.6
	070	7,000	1,265	69.1
	075	7,500	1,265	69.6
	080	8,000	1,265	70.1
	085	8,500	1,078	70.6
	090	9,000	1,078	71.2
	095	9,500	1,078	72.4
	100	10,000	1,078	73.2
	105	10,500	1,078	73.7
	110	11,000	1,078	74.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Iron Springs Branch (continued)	115	11,500	1,078	74.2
	120	12,000	1,078	74.5
	125	12,500	1,078	74.8
	130	13,000	926	75.2
	135	13,500	926	76.0
	140	14,000	926	76.5
	147	14,661	604	76.8
	148	14,804	604	78.9
	148	14,849	604	78.9
	155	15,500	604	79.5
	158	15,769	604	79.7
	160	16,000	604	79.8
	164	16,375	604	80.2
	165	16,522	604	80.4
	167	16,723	604	81.4
	169	16,858	604	83.4
	171	17,112	604	84.8
	176	17,612	604	85.5
	181	18,112	604	85.7
Jenkins Swamp	000	0	1,617	21.4
	005	500	1,617	21.7
	009	902	1,617	21.9
	015	1,500	1,617	22.2
	020	2,000	1,266	22.5
	025	2,500	1,266	22.8
	030	3,000	1,266	23.0
	035	3,500	1,266	23.2
	040	4,000	1,266	23.4
	045	4,500	1,266	23.6
	050	5,000	1,266	23.7
	055	5,500	1,224	23.9
	060	6,000	1,193	24.2
	066	6,640	1,193	24.6
	070	7,000	1,193	25.1
	073	7,276	1,193	25.3
	073	7,329	1,193	26.0
	074	7,385	1,193	26.0
	080	8,000	970	26.6
	085	8,500	970	26.7
	090	9,000	970	26.8
	094	9,376	970	27.0
	100	10,000	970	27.2
	105	10,500	970	27.3
	110	11,000	970	27.5
	114	11,383	970	27.7

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Jenkins Swamp (continued)	114	11,406	970	28.0
	114	11,432	970	28.0
	119	11,855	913	28.1
	125	12,500	913	28.2
	130	13,000	800	28.4
	135	13,500	800	28.6
	140	13,989	800	28.7
	140	14,036	800	28.8
	141	14,099	800	28.8
	145	14,500	673	28.9
	150	15,000	673	29.2
	155	15,500	673	29.6
	160	16,000	621	30.1
	164	16,359	673	30.3
	170	17,000	621	30.8
	175	17,500	566	31.1
	179	17,859	566	31.2
Jenkins Swamp Tributary	023	2,304	335	39.9
	023	2,309	335	39.9
	023	2,337	335	40.7
	024	2,370	335	40.7
	030	3,000	335	40.7
	035	3,500	335	40.8
	040	4,000	335	40.8
	045	4,500	335	40.8
	055	5,500	335	40.8
	060	6,000	335	40.8
	065	6,500	335	40.8
	070	7,000	335	40.8
	075	7,500	201	40.8
	080	8,000	201	40.8
	085	8,500	201	41.6
Jet Branch	036	3,600	361	49.7 ³
	040	4,000	330	49.7 ³
	044	4,400	330	49.7 ³
	048	4,800	330	49.7 ³
	052	5,200	330	49.7 ³
	056	5,600	330	49.8
Joiner Swamp	018	1,823	1,422	43.6 ³
	025	2,500	1,422	43.9
	030	3,000	1,422	44.5
	035	3,500	1,422	45.1
	040	4,000	1,422	45.7
	045	4,500	1,422	46.2
	050	5,000	1,422	46.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Joiner Swamp (continued)	054	5,439	1,381	46.7
	055	5,532	1,381	47.2
	057	5,659	1,381	47.2
	060	6,000	1,349	47.4
	065	6,500	1,349	47.6
	070	7,000	1,349	47.7
	075	7,500	1,234	48.0
	080	8,000	1,079	48.4
	085	8,500	1,079	48.7
	090	9,000	1,056	49.0
	095	9,500	1,056	49.3
	100	10,000	1,056	49.6
	105	10,500	1,056	50.1
	110	11,000	1,056	50.8
	115	11,500	1,056	51.7
	120	12,000	1,009	52.7
	125	12,500	1,009	53.2
	130	13,000	1,009	53.6
	135	13,500	1,009	54.3
	140	14,000	960	54.9
	145	14,500	960	55.4
	150	15,036	960	55.8
	151	15,090	960	56.1
	152	15,153	960	56.1
	155	15,500	909	56.3
	160	16,000	909	56.7
	165	16,500	909	58.4
	170	17,000	909	59.2
	175	17,500	909	59.6
	180	18,000	909	60.1
	183	18,288	909	60.4
	183	18,340	909	64.4
	184	18,395	909	64.4
	186	18,605	909	64.4
	190	19,000	859	64.4
	195	19,500	859	64.4
	200	20,000	859	64.5
	205	20,500	859	64.6
	210	21,000	859	64.8
	215	21,500	859	65.1
	220	22,000	859	65.3
	225	22,500	859	65.7
	230	23,000	807	66.8
	235	23,500	807	68.1
	240	24,000	749	68.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)	
Joiner Swamp (continued)	245	24,500	749	69.2	
	250	25,000	749	69.6	
	255	25,500	749	70.2	
	260	26,000	749	70.9	
	265	26,500	749	72.4	
	270	27,000	711	74.0	
	275	27,500	621	74.8	
	280	28,000	621	75.3	
	285	28,500	605	75.7	
	290	29,000	605	76.3	
	295	29,500	605	77.1	
	299	29,874	605	78.1	
	300	29,987	605	82.4	
	300	30,025	605	82.4	
	301	30,069	605	82.5	
	302	30,231	605	82.5	
	303	30,340	605	85.3	
	304	30,388	605	85.3	
	305	30,500	605	85.4	
	312	31,229	605	85.6	
	317	31,729	605	85.9	
	322	32,229	605	86.0	
	327	32,729	605	86.1	
	332	33,229	545	86.2	
	Jordan Creek	010	1,020	1,492	57.7
		019	1,855	1,492	59.2
		030	2,971	1,492	60.2
		035	3,481	1,492	60.6
		042	4,194	1,492	61.4
		049	4,882	1,492	62.5
		055	5,473	1,492	63.2
		060	5,973	1,492	63.9
		070	6,973	1,492	65.1
080		7,973	1,492	65.9	
085		8,473	1,492	66.4	
087		8,746	1,492	66.5	
088		8,829	1,248	67.7	
089		8,890	1,248	67.7	
092		9,241	1,248	68.0	
097		9,703	1,248	68.2	
097		9,738	1,203	71.8	
098	9,765	1,203	71.8		
100	9,973	1,203	71.8		
105	10,473	1,203	71.8		
110	10,973	1,191	71.8		

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Jordan Creek (continued)	114	11,418	1,191	71.8
	120	11,986	1,191	71.9
	126	12,580	1,191	72.1
	131	13,080	1,146	72.3
	136	13,580	1,146	72.6
	141	14,080	1,117	73.0
	146	14,580	1,117	73.9
	151	15,080	1,117	74.5
	156	15,580	1,117	74.9
	161	16,080	1,117	75.1
	166	16,623	1,071	75.4
	171	17,094	1,071	75.6
	176	17,617	1,071	75.8
	181	18,117	1,071	76.1
	186	18,617	1,071	76.3
	191	19,117	1,071	76.7
	194	19,447	1,071	77.0
	198	19,763	967	77.1
	198	19,792	967	77.6
	198	19,821	967	77.6
	201	20,117	967	78.1
	207	20,680	957	78.9
	207	20,734	957	82.1
	208	20,773	957	82.1
	211	21,117	957	82.1
	216	21,602	957	82.1
	221	22,117	957	82.1
	231	23,117	957	82.1
	236	23,617	957	82.1
	241	24,117	957	82.2
	246	24,623	906	82.4
	252	25,169	906	82.7
	257	25,714	863	83.0
	262	26,214	842	83.4
	267	26,714	842	83.8
	272	27,214	842	84.3
	277	27,714	842	84.7
	281	28,083	842	84.9
	285	28,526	842	85.2
	286	28,563	842	85.7
	286	28,582	842	85.7
	287	28,714	723	85.9
	291	29,071	723	86.2
	291	29,116	723	86.7
	292	29,158	723	86.7

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Jordan Creek (continued)	294	29,405	723	86.7
	297	29,714	723	86.8
	302	30,214	723	86.9
	307	30,714	671	87.0
	312	31,214	671	87.4
	317	31,686	671	88.4
	317	31,737	671	89.4
	318	31,764	671	89.4
	322	32,214	671	90.4
Juniper Swamp	707	70,705	1,303	60.4
	709	70,940	1,303	61.4
	713	71,250	1,303	62.1
	716	71,623	1,303	62.3
	721	72,140	1,303	62.4
	726	72,639	1,281	62.6
	731	73,149	1,281	62.7
	736	73,619	1,281	62.8
	741	74,102	1,281	62.9
	745	74,547	1,281	63.1
	750	75,041	1,281	63.4
	756	75,605	1,191	64.0
	761	76,062	1,191	64.7
	766	76,554	1,191	65.3
	770	77,022	1,191	65.6
	775	77,522	1,166	65.7
	780	78,034	1,166	65.8
	784	78,429	1,166	66.0
	788	78,785	1,166	66.2
	792	79,206	1,166	66.5
	796	79,598	1,121	66.7
	800	80,039	1,121	67.1
	805	80,481	1,121	67.6
	810	80,979	1,090	68.3
	815	81,461	1,090	68.8
	819	81,880	1,090	69.4
	823	82,320	1,054	69.8
	827	82,704	1,054	70.9
	831	83,070	1,054	73.0
	836	83,562	1,054	74.1
	841	84,096	1,054	74.7
	845	84,451	1,054	74.9
	849	84,883	1,054	75.2
	854	85,351	1,054	75.4
	858	85,847	1,054	75.8
	862	86,228	1,007	75.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Juniper Swamp (continued)	867	86,672	1,007	76.1
	871	87,084	1,007	76.3
	875	87,522	1,007	76.4
	880	88,041	1,007	76.8
	885	88,521	791	77.2
	891	89,061	791	77.6
	895	89,458	791	78.2
	899	89,866	791	78.8
	902	90,237	791	79.3
	903	90,295	791	82.1
	903	90,348	791	82.1
	908	90,809	791	82.1
	915	91,467	791	82.2
	920	91,997	791	82.3
	924	92,409	791	82.8
	929	92,870	791	83.6
	930	92,989	791	86.1
	931	93,091	791	86.1
	938	93,810	340	86.5
	941	94,102	340	86.6
	945	94,541	340	87.1
	951	95,061	340	88.2
	956	95,558	340	89.5
	961	96,057	340	91.4
	966	96,584	340	93.3
	970	96,999	340	94.5
	975	97,468	340	95.9
	978	97,776	340	97.2
	981	98,135	340	97.8
	985	98,520	340	98.0
	990	98,994	340	98.3
	996	99,632	340	99.2
Kingston Lake	000	25	3,613	28.8
	008	768	3,613	29.1
	020	1,954	3,613	29.2
	021	2,060	3,613	29.4
	022	2,190	3,613	29.4
	038	3,821	1,709	29.6
	048	4,756	1,709	30.4
	053	5,259	1,690	30.7
	059	5,883	1,449	31.0
	067	6,659	1,449	31.2
	074	7,359	1,449	31.5
	083	8,262	1,423	32.3
	083	8,331	1,423	32.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Kingston Lake (continued)	084	8,404	1,423	32.8
	095	9,457	1,423	33.5
	099	9,907	1,379	33.7
	107	10,702	1,333	34.1
	116	11,557	1,333	34.6
	123	12,257	1,166	35.1
	130	12,957	1,166	35.5
	137	13,657	1,116	36.0
	144	14,357	1,116	36.9
	151	15,057	1,065	38.0
	158	15,757	1,065	39.0
	165	16,457	1,065	40.2
	175	17,498	1,019	41.2
	179	17,857	1,019	41.4
	186	18,557	1,019	42.1
	193	19,257	1,019	43.5
	200	19,957	1,019	44.1
	207	20,657	1,019	44.7
	214	21,357	970	46.5
	221	22,057	970	47.4
	230	23,010	872	48.0
	235	23,506	872	48.4
	236	23,609	872	49.7
	237	23,699	872	49.7
	245	24,527	872	50.2
	253	25,294	708	50.6
	263	26,257	708	52.2
	270	26,957	708	54.6
	277	27,657	676	56.3
	285	28,536	676	57.3
	291	29,057	676	58.2
	300	29,998	618	59.9
	305	30,475	618	60.6
	314	31,373	618	62.0
	318	31,843	618	62.7
	326	32,568	557	64.7
	332	33,229	557	66.0
	340	33,970	557	67.7
	345	34,484	557	69.2
	345	34,533	557	70.6
	346	34,596	557	70.6
	354	35,357	557	71.4
	361	36,057	557	72.1
	370	36,953	487	72.7

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Kingston Lake (continued)	377	37,746	487	73.3
	384	38,429	487	74.2
	394	39,390	487	76.7
Kingston Lake Swamp	500	50,031	3,966	23.6
	510	51,026	3,966	23.7
	518	51,774	3,966	24.0
	532	53,202	3,950	24.9
	544	54,431	3,950	25.2
	555	55,481	3,929	25.5
	565	56,522	3,929	25.8
	581	58,070	3,929	26.6
	595	59,497	3,829	27.5
	602	60,186	3,829	28.0
	614	61,418	3,829	28.8
	Kingston Lake Swamp Tributary 1	007	664	329
014		1,350	329	13.8 ³
018		1,800	329	13.8 ³
023		2,250	329	14.6
027		2,736	329	16.1
028		2,773	329	21.0
028		2,807	329	21.0
032		3,150	329	21.0
036		3,600	329	21.0
041		4,050	329	21.0
045		4,500	329	21.1
050		4,950	329	21.2
054		5,400	329	21.8
057		5,662	329	22.9
Kingston Lake Swamp Tributary 6		014	1,350	441
	018	1,800	441	27.1 ³
	023	2,250	441	27.1 ³
	027	2,700	441	27.1 ³
	032	3,150	441	27.1 ³
	036	3,600	441	27.2
	041	4,050	441	28.0
	045	4,520	441	28.8
	046	4,563	441	30.1
	046	4,616	441	30.1
	050	4,950	441	30.2
	054	5,400	441	30.3
	059	5,850	315	30.4
063	6,300	315	30.5	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Kingston Lake Swamp Tributary 8	023	2,250	594	29.2 ³
	027	2,700	594	29.2 ³
	032	3,150	594	29.2 ³
	036	3,600	561	29.8
	041	4,050	561	30.3
	045	4,500	561	30.7
	050	4,950	561	30.9
	054	5,400	561	31.1
	059	5,850	561	31.3
Lake Swamp	119	11,900	8,317	42.3 ³
	126	12,600	8,317	42.3 ³
	133	13,300	8,317	42.3 ³
	140	14,000	8,317	42.3 ³
	152	15,158	8,317	42.3 ³
	153	15,254	8,317	42.3 ³
	153	15,337	8,317	42.3 ³
	158	15,791	8,317	42.3 ³
	168	16,800	8,317	42.3 ³
	175	17,500	8,317	42.3 ³
	182	18,200	8,317	42.3 ³
	189	18,900	8,260	42.3 ³
	196	19,600	8,260	42.3 ³
	203	20,300	8,260	42.3 ³
	210	21,000	8,260	42.3 ³
	217	21,700	8,260	42.3 ³
	224	22,400	8,242	42.3 ³
	231	23,100	8,242	42.3 ³
	238	23,800	8,242	42.3 ³
	245	24,500	8,242	42.3 ³
	252	25,200	8,220	42.3 ³
	259	25,900	8,174	42.3 ³
	266	26,600	8,156	42.3 ³
	273	27,300	8,156	42.5
	280	28,000	8,156	42.8
	287	28,700	8,156	43.1
	294	29,400	7,821	43.3
301	30,100	7,821	43.4	
308	30,800	7,821	43.6	
315	31,500	7,469	43.7	
322	32,200	7,469	43.8	
329	32,900	7,469	44.0	
336	33,600	7,469	44.2	
343	34,300	7,469	44.4	
346	34,596	7,469	44.4	
347	34,677	7,469	45.2	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Lake Swamp (continued)	347	34,747	7,469	45.2
	352	35,202	7,469	45.8
	357	35,700	7,469	45.9
	364	36,400	7,469	46.0
	371	37,100	7,469	46.1
	378	37,800	7,469	46.3
	385	38,500	7,122	46.4
	392	39,200	7,122	46.7
	399	39,900	7,122	46.9
	406	40,600	7,122	47.1
	413	41,300	7,105	47.2
	420	42,000	7,105	47.4
	427	42,700	7,083	47.5
	434	43,400	7,083	47.7
	441	44,100	7,083	47.8
	448	44,800	7,083	48.0
	455	45,500	7,044	48.1
	462	46,200	7,044	48.3
	469	46,900	7,044	48.4
	476	47,600	7,044	48.5
	483	48,300	7,044	48.6
	490	49,000	7,044	48.8
	497	49,700	7,044	49.0
	504	50,400	6,697	49.2
	511	51,100	6,697	49.4
	516	51,643	6,697	49.5
	522	52,198	6,697	49.6
	528	52,773	6,697	49.7
	535	53,486	6,697	49.8
	544	54,386	6,423	49.9
	550	54,979	6,423	50.0
	556	55,600	6,423	50.2
	561	56,144	6,423	50.4
	567	56,700	6,423	50.5
	574	57,400	6,423	50.7
	581	58,100	6,270	50.8
	588	58,800	6,270	51.0
	595	59,500	6,270	51.2
	602	60,200	6,270	51.3
	609	60,900	6,270	51.5
	616	61,600	6,270	51.7
	623	62,309	6,237	51.9
	624	62,379	6,237	52.8
	625	62,457	6,237	52.8
	630	63,000	6,237	52.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Lake Swamp (continued)	637	63,700	6,237	53.0
	644	64,400	6,237	53.2
	651	65,100	6,200	53.3
	658	65,800	6,200	53.4
	665	66,500	6,200	53.5
	672	67,200	6,200	53.6
	679	67,900	6,200	53.7
	686	68,600	6,155	53.8
	693	69,300	6,155	54.0
	700	70,000	6,155	54.1
	707	70,700	6,155	54.2
	714	71,400	5,658	54.3
	721	72,100	5,658	54.4
	728	72,800	5,658	54.5
	735	73,500	5,658	54.6
	741	74,064	5,658	54.7
Little Pee Dee River	002	160	128,700	17.9 ⁴
	007	748	128,700	18.0 ⁴
	016	1,556	128,700	18.0 ⁴
	028	2,787	80,550	18.1 ⁴
	039	3,917	80,550	18.1 ⁴
	048	4,821	80,550	18.2 ⁴
	066	6,561	80,550	18.2 ⁴
	076	7,552	80,605	18.3 ⁴
	090	8,981	80,605	18.3 ⁴
	102	10,240	80,605	18.4 ⁴
	120	12,028	80,945	18.5 ⁴
	136	13,609	80,945	18.5 ⁴
	152	15,190	80,945	18.6 ⁴
	166	16,579	80,945	18.6 ⁴
	189	18,880	80,945	18.7 ⁴
	202	20,216	80,945	18.8 ⁴
	232	23,181	80,945	18.8 ⁴
	254	25,442	80,945	18.8 ⁴
	265	26,461	85,120	18.9 ⁴
	290	29,039	85,120	18.9 ⁴
	302	30,235	85,120	19.0 ⁴
	312	31,210	85,120	19.0 ⁴
	332	33,163	85,120	19.1 ⁴
	341	34,083	85,120	19.1 ⁴
	350	35,012	85,120	19.2 ⁴
	361	36,079	85,120	19.2 ⁴
	371	37,079	85,120	19.3 ⁴
	380	38,015	85,120	19.3 ⁴
	387	38,705	85,120	19.4 ⁴

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Little Pee Dee River (continued)	397	39,669	85,120	19.5 ⁴
	404	40,418	85,120	19.5 ⁴
	417	41,744	85,120	19.6 ⁴
	425	42,533	85,120	19.6 ⁴
	435	43,461	85,120	19.7 ⁴
	445	44,518	85,120	19.8 ⁴
	457	45,708	85,120	19.8 ⁴
	467	46,745	85,455	19.9 ⁴
	482	48,247	85,455	20.0 ⁴
	498	49,840	85,455	20.1 ⁴
	508	50,843	85,455	20.1 ⁴
	521	52,082	85,455	20.2 ⁴
	535	53,548	70,675	20.2 ⁴
	542	54,186	70,675	20.3 ⁴
	563	56,259	70,675	20.3 ⁴
	576	57,598	70,675	20.4 ⁴
	589	58,879	70,675	20.4 ⁴
	608	60,806	70,675	20.6 ⁴
	619	61,897	70,675	20.6 ⁴
	632	63,183	37,690	20.7 ⁴
	648	64,783	37,690	20.7 ⁴
	676	67,600	37,690	20.7 ⁴
	688	68,844	37,690	20.7 ⁴
	718	71,769	38,351	20.7 ³
	720	72,022	38,351	20.7
	722	72,221	38,351	20.7
	742	74,214	37,751	20.8
	755	75,465	37,751	20.8
	770	77,042	37,751	20.9
	782	78,155	37,751	20.9
	795	79,501	37,751	20.9
	806	80,607	37,751	21.0
	820	82,004	37,751	21.0
	831	83,148	37,751	21.0
	844	84,399	37,751	21.1
	855	85,499	37,751	21.2
	873	87,275	37,751	21.3
	882	88,155	37,751	21.3
	895	89,460	37,751	21.4
	905	90,489	37,751	21.5
	914	91,388	37,751	21.6
	930	92,981	37,751	21.7
	942	94,209	37,751	21.8
	958	95,798	37,554	22.0
	976	97,634	37,554	22.2

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Little Pee Dee River (continued)	985	98,531	37,554	22.3
	997	99,686	37,554	22.5
	1014	101,379	37,554	22.7
	1028	102,781	37,554	22.8
	1047	104,695	36,546	23.0
	1067	106,691	36,546	23.1
	1079	107,863	36,546	23.2
	1091	109,109	36,546	23.3
	1136	113,569	36,546	23.8
	1147	114,707	36,546	23.9
	1164	116,420	36,546	24.0
	1181	118,127	36,546	24.2
	1202	120,166	36,546	24.3
	1219	121,928	36,546	24.4
	1237	123,683	36,546	24.6
	1252	125,223	36,546	24.7
	1268	126,819	36,546	24.8
	1282	128,246	36,546	24.9
	1294	129,423	36,546	25.0
	1320	132,019	36,546	25.2
	1338	133,790	36,546	25.4
	1349	134,911	36,546	25.6
	1368	136,766	36,546	25.9
	1391	139,102	36,395	26.2
	1422	142,247	36,395	26.6
	1446	144,576	36,395	27.1
	1466	146,620	36,395	27.4
	1485	148,497	36,395	27.5
	1493	149,327	36,395	27.6
	1516	151,595	36,395	27.9
	1526	152,564	36,395	28.0
	1537	153,696	36,395	28.1
	1552	155,236	36,395	28.3
	1586	158,608	36,395	28.6
	1595	159,545	36,395	28.7
	1605	160,523	36,395	28.8
	1616	161,619	36,395	29.0
	1633	163,297	36,395	29.2
	1645	164,494	36,395	29.3
	1654	165,438	36,395	29.4
	1671	167,136	36,395	29.6
	1689	168,922	36,395	29.9
	1705	170,524	36,395	30.1
	1717	171,745	36,395	30.2
	1729	172,851	36,395	30.4

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Little Pee Dee River (continued)	1740	173,984	36,395	30.6
	1749	174,934	36,395	30.7
	1777	177,748	36,395	31.1
	1785	178,473	36,395	31.1
	1803	180,271	36,395	31.3
	1815	181,451	36,395	31.4
	1833	183,282	36,395	31.6
	1857	185,665	35,965	31.8
	1867	186,694	35,965	31.9
	1903	190,300	35,965	32.1
	1940	194,019	35,965	32.4
	1953	195,284	35,965	32.5
	1964	196,379	35,965	32.5
	1983	198,278	35,965	32.7
	1996	199,577	35,965	32.8
	2010	200,995	35,965	33.0
	2025	202,454	35,965	33.3
	2040	204,012	35,965	33.5
	2056	205,605	35,965	33.6
	2073	207,290	35,412	33.8
	2091	209,122	35,412	33.9
	2100	210,011	35,412	34.0
	2118	211,825	35,412	34.2
	2128	212,800	35,412	34.3
	2145	214,451	35,412	34.5
	2157	215,659	35,412	34.7
	2172	217,153	35,412	34.9
	2183	218,317	35,412	35.0
	2199	219,862	35,412	35.2
	2222	222,166	35,412	35.6
	2236	223,599	35,412	35.8
	2249	224,861	35,412	35.9
	2265	226,503	35,167	36.0
	2292	229,224	35,167	36.5
	2306	230,603	35,167	36.7
	2321	232,076	35,167	36.9
	2337	233,660	35,167	37.1
	2356	235,557	35,167	37.4
	2367	236,653	35,167	37.5
	2368	236,812	35,167	38.4
	2370	236,983	35,167	38.4
	2386	238,637	34,962	39.7
	2399	239,885	34,962	40.2
	2412	241,226	34,962	40.5
	2433	243,340	34,962	41.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Little Pee Dee River (continued)	2451	245,059	32,575	41.3
	2473	247,277	32,575	41.4
	2509	250,879	32,575	41.6
	2528	252,786	32,575	41.6
	2551	255,109	32,575	41.7
	2569	256,937	32,575	41.8
	2585	258,457	32,575	41.9
	2603	260,283	32,575	42.0
	2626	262,557	32,575	42.1
	2637	263,678	32,575	42.1
	2671	267,073	32,499	42.3
	2705	270,549	32,499	42.8
	2729	272,918	32,499	43.2
	2739	273,856	32,499	43.3
	2764	276,438	32,499	43.6
	2772	277,248	32,499	43.7
	2792	279,186	32,499	43.9
	2812	281,245	32,499	44.2
	2838	283,837	32,499	44.6
	2876	287,608	32,499	45.0
	2899	289,899	32,499	45.3
	2916	291,565	32,135	45.5
	2927	292,657	32,135	45.6
	2940	293,951	32,135	45.6
	2942	294,215	32,135	47.3
	2944	294,387	32,135	47.3
	2961	296,132	32,135	48.2
	2974	297,432	32,135	48.4
	2993	299,301	32,135	48.6
	3016	301,552	32,135	48.7
	3027	302,670	32,135	48.8
	3039	303,860	32,135	48.9
	3048	304,813	32,135	49.0
	3065	306,453	32,135	49.1
	3076	307,633	32,135	49.2
	3090	309,016	31,508	49.2
	3105	310,451	31,508	49.3
	3117	311,672	31,508	49.4
	3129	312,890	31,508	49.4
	3143	314,334	31,508	49.5
	3153	315,339	31,489	49.5
	3167	316,655	31,489	49.6
	3238	323,839	31,489	49.9
	3246	324,565	31,489	49.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Little Pee Dee River (continued)	3253	325,339	31,489	49.9
	3263	326,339	31,489	50.0
	3278	327,837	31,489	50.1
Long Branch Swamp	032	3,171	1,160	62.4 ³
	037	3,672	1,160	62.4 ³
	041	4,127	1,160	62.4 ³
	048	4,819	1,160	62.6
	054	5,417	1,160	63.0
	060	6,044	1,160	63.6
	065	6,484	1,160	64.3
	070	7,046	1,127	65.0
	076	7,564	1,127	65.6
	080	8,019	1,127	66.3
	085	8,538	1,127	67.3
	086	8,586	1,127	68.8
	087	8,650	1,127	68.8
	092	9,209	1,127	69.4
	098	9,817	1,127	69.7
	104	10,392	1,093	70.3
	110	10,985	1,093	70.8
	114	11,448	930	71.2
	119	11,879	930	71.8
123	12,338	930	72.4	
128	12,751	930	72.7	
131	13,058	930	72.9	
131	13,108	930	73.3	
132	13,158	930	73.3	
136	13,611	896	73.8	
144	14,352	896	74.5	
149	14,940	843	75.0	
Long Branch Swamp Tributary 1	010	1,046	512	62.4 ³
	012	1,156	447	62.4
	013	1,348	447	63.0
	017	1,677	447	63.5
	021	2,107	447	63.9
	025	2,494	447	64.1
	028	2,805	447	64.2
	031	3,107	447	64.4
036	3,587	447	65.7	
Loosing Swamp	010	1,000	1,416	43.3 ³
	015	1,500	1,416	43.3 ³
	020	2,000	1,416	43.3 ³
	025	2,500	1,416	43.3 ³
	030	3,000	1,402	43.8

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Loosing Swamp (continued)	035	3,500	1,402	44.6
	040	4,000	1,362	45.2
	045	4,500	1,362	45.7
	049	4,912	1,362	46.3
	054	5,382	1,362	46.7
	054	5,435	1,362	46.8
	055	5,481	1,362	46.8
	060	6,000	1,338	47.2
	065	6,500	1,338	47.7
	070	7,000	1,338	48.0
	075	7,500	1,338	48.4
	080	8,000	1,296	48.8
	085	8,500	1,296	49.3
	090	9,000	1,249	50.1
	095	9,500	1,249	51.0
	100	10,000	1,249	51.6
	105	10,500	1,219	52.0
	110	11,000	1,219	52.5
	114	11,364	1,219	52.9
	114	11,401	1,219	53.9
	114	11,441	1,219	53.9
	120	12,000	1,219	54.2
	125	12,500	1,219	54.5
	130	13,000	1,183	54.8
	135	13,500	1,183	55.2
	140	14,000	1,183	55.5
	145	14,500	1,140	55.9
	149	14,922	1,140	56.3
	154	15,415	1,140	57.1
	160	16,000	1,140	58.0
	167	16,654	1,111	58.6
	167	16,699	1,111	59.0
	167	16,744	1,111	59.0
	170	17,000	1,111	59.3
	175	17,500	1,111	60.0
	180	18,000	1,111	61.0
	185	18,500	1,111	61.8
	190	19,000	1,111	62.3
	195	19,500	1,111	62.6
	200	20,000	1,111	62.8
	205	20,500	1,069	63.1
	210	21,000	1,069	63.4
	215	21,459	1,069	63.7
	215	21,510	1,069	64.7
	216	21,569	1,069	64.7

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)	
Loosing Swamp (continued)	220	22,000	1,069	64.9	
	225	22,500	1,069	65.2	
	230	23,000	1,069	65.7	
	235	23,500	1,069	66.4	
	240	24,000	1,027	67.1	
	245	24,500	1,027	67.9	
	250	25,000	1,027	68.4	
	255	25,500	1,027	68.9	
	260	26,000	977	69.5	
	265	26,500	977	70.4	
	270	27,000	977	71.2	
	275	27,500	977	71.8	
	280	28,000	938	72.4	
	285	28,500	938	72.7	
	289	28,910	938	72.9	
	290	28,959	938	73.3	
	290	29,017	938	73.3	
	295	29,500	938	73.9	
	300	30,000	938	74.4	
	305	30,500	938	74.9	
	310	31,000	938	75.5	
	315	31,500	938	75.8	
	320	32,000	886	76.3	
	325	32,500	886	76.7	
	330	33,000	886	77.1	
	335	33,500	886	77.7	
	340	34,000	886	78.4	
	345	34,500	886	79.4	
	350	35,000	886	80.1	
	355	35,500	886	80.8	
	360	36,000	886	81.6	
	365	36,500	886	82.1	
	370	37,000	886	82.6	
	375	37,500	886	83.3	
	380	38,000	705	84.0	
	385	38,500	705	84.7	
	390	39,000	683	85.5	
	Lumber River	450	45,032	24,474	54.8
		452	45,222	24,474	54.8
467		46,729	24,474	54.9	
484		48,407	24,474	55.1	
513		51,285	24,474	55.3	
523		52,251	24,474	55.4	
534		53,353	24,474	55.6	
544		54,375	24,474	55.7	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Lumber River (continued)	557	55,742	24,474	55.9
	586	58,572	24,474	56.5
	592	59,163	24,474	56.6
	599	59,916	24,474	56.7
	608	60,813	24,474	56.9
	615	61,462	24,474	57.0
	635	63,534	24,474	57.3
	642	64,218	24,474	57.4
	649	64,885	24,474	57.5
	688	68,818	24,474	58.2
	712	71,183	24,474	58.5
	721	72,127	24,474	58.6
	732	73,240	24,474	58.9
	761	76,055	24,474	59.4
	782	78,162	24,474	59.8
	793	79,254	24,474	59.9
	804	80,369	24,474	60.2
	815	81,521	24,474	60.4
	820	82,032	24,474	60.4
	854	85,432	24,474	61.0
	872	87,184	24,474	61.2
	886	88,624	24,474	61.3
	896	89,595	24,474	61.4
	917	91,731	24,474	61.7
Maple Swamp	006	591	2,544	16.5 ³
	015	1,492	2,544	17.4
	025	2,548	2,544	18.8
	037	3,696	2,544	19.8
	049	4,911	2,544	20.1
	056	5,643	2,544	20.3
	060	6,013	2,544	20.3
	061	6,050	2,544	21.7
	061	6,081	2,544	21.7
	064	6,432	2,544	21.7
	072	7,159	2,437	21.8
	080	8,045	2,437	22.0
	091	9,050	2,437	22.4
	100	10,003	2,419	22.9
	110	10,984	2,419	23.4
	115	11,549	2,389	24.4
	121	12,144	2,389	25.4
	126	12,597	2,389	25.8
	133	13,272	2,389	26.3
	139	13,858	2,389	27.1
	143	14,295	2,389	27.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Maple Swamp (continued)	145	14,520	2,389	28.7
	150	15,011	2,389	28.9
	153	15,293	2,389	28.9
	154	15,365	2,389	28.9
	154	15,405	2,389	28.9
	157	15,712	2,389	28.9
	162	16,197	2,389	29.0
	168	16,849	2,293	29.0
	172	17,230	2,293	29.1
	175	17,536	2,293	29.1
	179	17,917	2,293	29.2
	184	18,392	2,293	29.2
	189	18,905	2,293	29.3
	194	19,399	2,293	29.4
	198	19,830	2,293	29.5
	205	20,457	2,293	29.7
	210	20,976	2,293	29.9
	215	21,506	2,149	30.1
	221	22,119	2,149	30.3
	225	22,540	2,149	30.5
	232	23,187	2,149	30.7
	239	23,853	2,149	31.0
	242	24,161	2,149	31.1
	246	24,555	1,538	31.3
	251	25,100	1,538	31.5
	255	25,498	1,538	32.1
	256	25,614	1,538	32.9
	257	25,699	1,538	32.9
	261	26,104	1,538	33.2
	263	26,337	1,538	33.2
	264	26,383	1,538	33.7
	264	26,429	1,538	33.7
	269	26,850	1,538	34.3
	277	27,665	1,512	34.6
	282	28,153	1,483	34.9
	286	28,649	1,483	35.1
	292	29,222	1,483	35.5
	296	29,596	1,483	35.8
	302	30,230	1,483	36.4
	307	30,685	1,483	36.9
	312	31,175	1,349	37.6
	318	31,752	1,349	38.1
	322	32,185	1,349	38.6
	327	32,731	1,349	39.2
	330	33,039	1,349	39.5

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Maple Swamp (continued)	338	33,773	1,349	40.0
	344	34,411	1,349	40.5
	348	34,790	1,349	40.8
	354	35,351	1,272	41.1
	359	35,889	1,272	41.4
	365	36,505	1,235	41.8
	366	36,571	1,235	41.8
	366	36,634	1,235	41.8
	374	37,393	1,235	42.8
	380	37,981	1,235	44.2
Maple Swamp Tributary 1	017	1,725	324	21.9 ³
	021	2,080	324	21.9 ³
	023	2,319	324	21.9 ³
	023	2,347	324	21.9 ³
	024	2,364	324	21.9 ³
	026	2,580	324	21.9 ³
	029	2,906	324	21.9 ³
	034	3,355	258	21.9 ³
	036	3,634	258	22.0
Meetinghouse Branch	037	3,694	295	17.2 ³
	043	4,298	295	17.2 ³
	048	4,771	295	17.8
	051	5,148	295	18.9
	057	5,726	295	19.9
	062	6,171	295	20.8
	067	6,683	295	21.9
	072	7,158	295	22.6
	074	7,375	295	22.8
	074	7,412	295	24.9
Mill Branch	075	7,450	295	24.9
	078	7,771	295	25.0
	081	8,126	295	26.0
	087	8,667	202	26.8
	015	1,500	999	42.9 ³
	019	1,881	999	42.9 ³
	024	2,384	999	42.9 ³
	028	2,832	999	43.0
	031	3,146	954	44.0
	032	3,188	954	45.4
032	3,245	954	45.4	
035	3,500	954	45.8	
040	4,000	954	46.0	
045	4,500	954	46.5	
050	5,000	954	47.0	
055	5,500	900	47.4	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mill Branch (continued)	058	5,835	900	47.7
	059	5,943	900	48.3
	060	6,026	900	48.3
	068	6,772	900	49.4
	074	7,393	865	50.3
	080	7,968	865	50.9
	087	8,669	865	51.3
	094	9,366	865	51.7
	094	9,414	865	51.9
	095	9,455	865	51.9
	100	10,000	865	52.4
	105	10,500	865	53.1
	110	11,000	865	54.0
	115	11,500	865	54.7
	120	12,000	865	55.4
	126	12,643	696	56.5
	130	13,000	696	57.1
	135	13,500	696	58.0
	139	13,894	696	59.0
	139	13,929	696	59.8
	140	13,975	696	59.8
	140	14,039	696	60.1
	145	14,468	696	60.5
	149	14,932	696	61.1
	152	15,198	696	61.6
	155	15,510	351	62.9
	157	15,726	351	63.3
	160	16,015	351	63.9
	164	16,402	351	65.0
	169	16,922	351	67.7
Mill Branch Tributary 1	002	169	308	55.9 ³
	004	415	308	56.2
	006	642	308	57.3
	011	1,050	308	58.7
	015	1,455	308	60.6
	019	1,886	308	62.8
	024	2,411	308	63.9
	027	2,666	308	64.5
	029	2,942	308	66.1
	033	3,321	308	66.9
	033	3,346	308	68.4
	034	3,370	308	68.4
	037	3,720	214	68.6

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mill Branch Tributary 2	001	131	497	62.2
	005	519	497	63.4
	009	946	497	64.2
	015	1,500	497	65.0
	020	1,990	497	66.3
	020	2,045	497	66.8
	021	2,089	497	66.8
	024	2,374	497	67.4
	027	2,674	497	68.3
	030	3,000	497	69.3
	031	3,122	497	69.4
	032	3,173	497	70.6
	032	3,230	497	70.6
	035	3,500	497	71.0
	040	4,000	420	72.7
	Mill Branch 2	005	472	526
009		938	526	78.3 ³
013		1,318	526	78.6
018		1,818	526	80.9
019		1,852	526	82.0
019		1,880	526	82.0
021		2,147	452	82.4
025		2,545	452	82.7
029		2,937	452	83.4
032		3,199	452	84.0
034		3,419	452	84.2
038		3,775	452	84.6
038		3,800	452	84.7
038		3,836	452	84.7
042		4,230	452	85.0
047		4,722	452	85.3
053		5,293	452	85.9
059		5,934	452	88.1
065		6,508	452	89.3
068		6,756	452	89.8
068	6,791	452	93.6	
068	6,840	452	93.6	
071	7,056	452	93.6	
076	7,559	376	93.7	
081	8,121	376	93.7	
082	8,168	376	93.7	
082	8,207	376	93.7	
087	8,711	376	93.9	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mill Branch 2 (continued)	092	9,238	376	94.0
	096	9,639	376	94.2
	102	10,222	287	94.3
Mill Branch 3	013	1,259	807	27.7 ³
	019	1,886	807	27.7
	025	2,495	807	28.5
	030	2,990	807	29.2
	035	3,474	807	30.6
	035	3,515	807	31.4
	036	3,553	807	31.4
	040	3,968	807	31.9
	045	4,506	807	32.0
	050	5,035	807	32.1
	056	5,639	749	32.2
	060	6,037	749	32.3
	065	6,504	689	32.3
	070	7,021	689	32.5
	075	7,538	689	32.8
	081	8,054	689	33.1
	085	8,516	689	33.4
	091	9,074	632	33.7
	095	9,500	632	34.0
	100	9,999	632	34.2
	105	10,506	632	34.4
	110	11,020	632	34.5
	114	11,396	632	34.7
	114	11,433	632	34.9
	115	11,472	632	34.9
	118	11,840	632	35.1
	122	12,223	632	35.2
Mills Swamp	109	10,859	887	17.3 ³
	112	11,178	887	17.3 ³
	114	11,397	887	17.3 ³
	118	11,842	887	17.3 ³
	123	12,319	887	17.3 ³
	128	12,766	887	17.9
	133	13,250	887	19.0
	137	13,722	887	21.3
	141	14,086	887	21.8
	145	14,530	831	21.9
	149	14,937	769	22.1
	154	15,414	769	22.3
	159	15,880	769	22.6
	163	16,303	769	23.0
	165	16,504	769	23.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mills Swamp (continued)	166	16,563	769	27.2
	166	16,620	769	27.2
	169	16,874	769	27.3
	173	17,252	734	27.3
	177	17,663	734	27.3
Mitchell Swamp	000	4	4,286	54.7
	011	1,125	4,286	54.9
	023	2,260	4,286	55.0
	039	3,889	4,274	55.3
	049	4,876	4,274	55.5
	057	5,677	4,248	55.8
	058	5,761	4,248	62.1
	058	5,848	4,248	62.1
	064	6,365	4,248	62.1
	072	7,189	4,248	62.1
	081	8,084	4,248	62.1
	087	8,734	4,248	62.1
	093	9,312	4,248	62.1
	099	9,885	4,168	62.1
	105	10,492	4,168	62.1
	111	11,074	4,168	62.1
	117	11,723	4,168	62.1
	122	12,221	4,168	62.2
	128	12,813	4,168	62.2
	133	13,258	4,168	62.2
	137	13,653	4,168	62.2
	142	14,206	4,168	62.2
	147	14,714	4,168	62.2
	153	15,277	4,168	62.3
	158	15,765	3,614	62.3
	163	16,260	3,614	62.3
	163	16,342	3,614	62.4
	164	16,414	3,614	62.4
	170	16,985	3,614	62.4
	175	17,522	3,614	62.4
	185	18,487	3,614	62.5
	192	19,193	3,614	62.6
	198	19,783	3,614	62.6
	204	20,417	3,614	62.7
	210	21,042	3,614	62.7
	216	21,606	3,614	62.8
	221	22,096	3,614	62.9
	226	22,553	3,614	63.0
	231	23,105	3,614	63.0
	236	23,587	3,614	63.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mitchell Swamp (continued)	240	24,041	3,614	63.1
	245	24,492	3,614	63.2
	249	24,923	3,614	63.3
	253	25,329	3,614	63.4
	258	25,842	3,614	63.6
	264	26,417	3,614	63.7
	270	26,980	3,614	63.9
	276	27,599	3,614	64.0
	282	28,151	3,049	64.2
	286	28,559	3,049	64.3
	291	29,091	3,049	64.5
	296	29,585	3,049	64.8
	302	30,241	3,049	65.3
	310	30,957	3,049	65.6
	316	31,619	3,049	65.7
	321	32,109	3,049	65.8
	325	32,505	3,049	66.1
	326	32,586	3,049	66.6
	327	32,669	3,049	66.6
	331	33,105	3,049	67.1
	336	33,641	3,049	67.2
	340	34,001	3,049	67.4
	344	34,420	3,049	67.5
	348	34,805	3,049	67.6
	353	35,297	3,049	67.7
	357	35,747	3,049	67.8
	359	35,916	3,049	68.7
	361	36,092	3,049	68.7
	364	36,354	3,049	69.0
	368	36,775	3,049	69.2
	372	37,155	2,896	69.4
	376	37,582	2,896	69.5
	380	37,967	2,896	69.6
	385	38,470	2,896	69.7
	388	38,841	2,896	69.8
	392	39,210	2,896	69.9
	396	39,636	2,896	69.9
	401	40,062	2,896	70.0
	404	40,366	2,896	70.1
	409	40,857	2,896	70.3
	413	41,317	2,896	70.5
	418	41,808	2,843	70.7
	425	42,481	2,843	70.9
	430	43,033	2,843	71.1
	437	43,655	2,843	71.2

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mitchell Swamp (continued)	440	44,028	2,843	71.2
	444	44,426	2,843	71.3
	445	44,477	2,843	72.7
	445	44,516	2,843	72.7
	449	44,861	2,843	72.7
	453	45,263	2,843	72.7
	457	45,725	2,843	72.8
	464	46,436	2,843	73.0
	468	46,802	2,843	73.1
	471	47,107	2,843	73.1
	474	47,405	2,843	73.1
	477	47,717	2,843	73.2
	481	48,096	2,579	73.3
	485	48,463	2,579	73.3
	489	48,902	2,579	73.4
	493	49,343	2,579	73.6
	498	49,816	2,459	73.7
	503	50,279	2,459	73.8
	507	50,697	2,459	74.0
	512	51,154	2,459	74.2
	516	51,615	2,459	74.4
	523	52,250	2,419	74.7
	526	52,562	2,419	74.9
	529	52,885	2,419	75.1
	530	52,956	2,419	75.2
	530	53,021	2,419	75.2
	533	53,337	2,419	75.3
	537	53,745	2,419	75.4
	542	54,178	2,419	75.6
	547	54,734	2,419	76.0
	553	55,298	1,650	76.4
	558	55,802	1,650	77.0
	563	56,330	1,650	78.1
	569	56,851	1,453	78.5
	573	57,281	1,453	78.6
	577	57,699	1,453	78.7
	581	58,078	1,447	78.9
	586	58,599	1,447	79.3
	591	59,139	1,447	79.5
	598	59,819	1,447	79.7
	599	59,875	1,447	80.7
	600	59,950	1,447	80.7
	603	60,320	1,426	80.9
	608	60,787	1,426	81.0
	612	61,225	1,385	81.2

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Mitchell Swamp (continued)	616	61,649	1,385	81.4
	621	62,095	1,385	81.6
	626	62,595	1,343	82.0
	631	63,052	1,343	82.3
	635	63,487	1,343	82.5
	635	63,547	1,343	82.6
	636	63,611	1,343	82.6
	638	63,826	1,343	82.7
	644	64,364	1,343	83.9
	648	64,794	1,343	84.5
	652	65,234	1,343	84.8
	656	65,579	1,343	85.0
	659	65,942	1,343	85.1
	664	66,409	1,343	85.4
	669	66,910	1,221	85.8
	675	67,518	1,221	86.3
	680	68,033	1,221	86.6
	686	68,588	1,221	87.0
	687	68,663	1,221	87.5
	687	68,720	1,221	87.5
	690	69,022	782	88.0
	696	69,603	782	88.2
	702	70,249	782	88.6
	703	70,310	782	89.3
	704	70,358	782	89.3
	709	70,890	782	89.4
	714	71,411	660	89.5
	720	71,952	660	89.7
	724	72,356	660	90.0
	729	72,922	660	90.3
Oakley Swamp	004	358	720	17.1 ³
	009	920	720	18.6
	015	1,453	720	19.9
	020	1,998	720	20.8
	025	2,456	720	21.4
	028	2,816	591	21.8
	033	3,291	591	21.9
Palmetto Swamp	161	16,072	1,266	23.1 ³
	166	16,565	1,266	23.1 ³
	170	17,000	1,266	23.1 ³
	176	17,628	1,211	23.6
	177	17,684	1,211	24.3
	177	17,732	1,211	24.3
	180	18,000	1,211	24.5
	185	18,500	1,211	24.6

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Palmetto Swamp (continued)	191	19,077	1,211	24.7
	196	19,594	1,211	24.9
	201	20,106	1,211	25.1
	208	20,763	1,211	25.6
	210	21,000	1,168	25.8
	213	21,265	1,168	25.9
	213	21,305	1,168	26.4
	213	21,339	1,168	26.4
	218	21,821	1,168	26.9
	225	22,500	1,168	27.2
	230	22,986	1,113	27.5
	235	23,500	1,113	27.7
	240	24,000	1,113	27.9
	245	24,500	1,113	28.2
	250	25,000	1,113	28.5
	255	25,500	1,113	29.0
	261	26,089	859	29.9
	265	26,500	859	30.4
	271	27,073	859	31.2
	275	27,531	859	32.1
	282	28,170	859	33.4
	285	28,500	859	34.0
	290	29,000	859	34.4
	295	29,510	859	35.2
	296	29,571	859	37.1
	296	29,623	859	37.1
	302	30,160	807	37.4
	310	31,000	807	37.6
	315	31,500	807	37.9
	320	32,000	807	38.9
	326	32,583	775	40.0
	332	33,168	775	40.8
	337	33,657	775	41.5
	342	34,213	775	42.5
	346	34,619	775	43.1
	351	35,082	716	43.6
	356	35,555	716	44.0
	360	36,000	716	44.4
	365	36,500	716	44.8
	370	37,000	716	45.3
	374	37,368	716	45.9
	374	37,406	716	46.6
	375	37,450	716	46.6
	380	38,000	658	47.4
	386	38,637	658	48.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Palmetto Swamp (continued)	390	39,000	658	48.7
	395	39,500	658	49.4
	400	40,000	658	50.9
	408	40,755	614	52.3
	414	41,402	399	53.0
	424	42,364	399	54.3
	430	43,000	399	55.1
	434	43,415	399	55.9
	435	43,451	399	56.7
	435	43,481	399	56.7
	436	43,611	399	56.9
	438	43,756	399	57.0
	438	43,794	399	57.1
	438	43,827	399	57.1
	440	44,000	399	57.2
	445	44,500	399	58.7
	450	45,000	319	60.2
	455	45,500	319	61.1
	460	46,000	319	62.2
	465	46,544	319	63.5
Pawleys Swamp	008	784	660	24.9 ³
	014	1,424	660	24.9 ³
	019	1,916	660	25.0
	025	2,472	660	26.2
	029	2,917	660	26.9
	032	3,224	660	27.3
	037	3,728	660	28.4
	042	4,188	660	29.4
	046	4,581	660	29.7
	051	5,053	660	29.7
	056	5,566	539	29.8
	060	6,028	539	29.8
	064	6,374	539	30.4
	067	6,742	460	30.8
	074	7,399	460	31.3
	079	7,891	460	31.7
	080	7,965	460	32.1
	080	8,029	460	32.1
	087	8,730	460	32.5
	092	9,230	460	32.6
098	9,778	412	32.7	
102	10,230	412	32.9	
107	10,730	412	33.1	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Pawleys Swamp (continued)	112	11,230	412	33.3
	117	11,730	412	33.6
	121	12,127	412	34.1
Pawleys Swamp Tributary	013	1,327	193	29.8
	014	1,435	193	30.3
	016	1,558	193	31.5
	018	1,770	193	33.0
	020	2,031	193	33.9
	024	2,362	193	36.1
Play Card Swamp	025	2,500	1,621	54.3 ³
	030	3,000	1,621	54.3 ³
	035	3,500	1,621	54.3 ³
	040	4,000	1,621	54.5
	046	4,583	1,594	55.0
	046	4,621	1,594	55.3
	047	4,659	1,594	55.3
	050	5,000	1,594	55.9
	055	5,500	1,594	56.4
	060	6,000	1,594	56.9
	065	6,500	1,594	57.5
	070	7,000	1,564	58.2
	075	7,500	1,564	58.8
	080	8,000	1,524	59.1
	085	8,500	1,524	59.6
	090	9,000	1,524	60.0
	096	9,606	1,524	60.5
	100	10,000	1,495	60.9
	105	10,500	1,495	61.2
	110	11,000	1,495	61.4
	115	11,500	1,495	61.7
	120	12,000	1,495	62.0
	125	12,500	1,461	62.4
	130	13,000	1,461	62.9
	135	13,500	1,461	63.5
	140	14,000	1,461	63.9
	145	14,500	1,431	64.2
	150	15,000	1,431	64.5
	155	15,500	1,431	64.9
	160	16,000	1,431	65.3
	165	16,500	1,431	65.9
	169	16,915	1,431	66.3
	173	17,256	1,431	66.5
	176	17,640	1,431	66.7
	177	17,687	1,431	67.6
	177	17,735	1,431	67.6

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Play Card Swamp (continued)	180	18,000	1,227	68.3
	185	18,500	1,227	69.5
	190	19,000	1,227	70.6
	192	19,234	1,227	70.9
	193	19,263	1,227	71.6
	193	19,297	1,227	71.6
	195	19,500	1,227	71.9
	200	20,000	1,227	72.3
	205	20,500	1,227	72.8
	210	21,000	1,227	73.1
	215	21,500	1,014	73.4
	220	22,000	1,014	73.7
	225	22,500	1,014	73.9
	230	23,000	1,014	74.3
	234	23,416	975	74.6
	234	23,442	975	75.5
	235	23,468	975	75.5
	237	23,697	975	75.6
	240	24,009	924	75.7
	245	24,500	924	75.9
	250	25,000	924	76.1
	255	25,500	924	76.2
Play Card Swamp Tributary 1	009	871	479	67.6 ³
	010	955	479	69.1
	012	1,200	479	70.3
	016	1,600	479	71.1
	020	2,000	479	72.0
	024	2,400	479	72.4
	028	2,800	342	74.3
	032	3,200	342	76.2
	036	3,600	342	77.2
	040	4,000	342	78.7
Pleasant Meadow Swamp	016	1,593	2,879	53.5
	044	4,415	2,848	54.8
	060	6,000	2,848	55.7
	070	7,000	2,666	56.1
	075	7,500	2,666	56.3
	080	8,000	2,666	56.6
	085	8,500	2,654	56.9
	090	9,000	2,654	57.1
	095	9,500	2,654	57.3
	100	10,000	2,654	57.5
	105	10,500	2,654	57.7
	110	11,000	2,627	57.8
	115	11,500	2,627	58.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Pleasant Meadow Swamp (continued)	120	12,000	2,627	58.4
	125	12,500	2,601	59.2
	130	13,000	2,601	59.5
	135	13,500	2,601	59.7
	140	14,000	2,586	60.2
	145	14,500	2,586	60.8
	150	15,000	2,586	61.4
	155	15,500	2,586	61.9
	160	16,000	2,563	62.4
	165	16,500	2,563	62.9
	170	17,000	2,563	63.2
	177	17,723	2,563	63.6
	179	17,883	2,563	64.2
	181	18,105	2,563	64.2
	185	18,500	2,563	64.3
	190	19,000	2,563	64.4
	195	19,500	2,563	64.5
	200	20,000	2,563	64.5
	205	20,500	2,502	64.6
	210	21,000	2,459	64.6
	215	21,500	2,459	64.6
	220	22,000	2,459	64.7
	225	22,500	2,459	64.7
	230	23,000	2,459	64.7
	235	23,500	2,260	64.8
	240	24,000	2,260	64.8
	245	24,500	2,260	64.9
	250	25,000	2,207	65.1
	255	25,500	2,207	65.4
	260	26,000	2,207	65.7
	265	26,500	2,207	66.0
	270	27,000	2,207	66.4
	275	27,500	2,207	66.8
	280	28,000	2,207	67.2
	285	28,500	1,878	67.4
	290	29,000	1,878	67.5
	295	29,500	1,878	67.5
	300	30,000	1,878	67.7
	307	30,732	1,878	68.0
	310	31,000	1,878	68.2
	314	31,401	1,878	68.7
	315	31,520	1,878	70.6
	316	31,628	1,878	70.6
	325	32,500	1,878	71.1
	330	33,000	1,878	71.3

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Pleasant Meadow Swamp (continued)	335	33,500	1,746	71.4
	340	34,000	1,746	71.5
	345	34,500	1,746	71.5
	350	35,000	1,746	71.6
	355	35,500	1,708	71.7
	360	36,000	1,708	71.8
	365	36,500	1,708	71.8
	370	37,000	1,708	71.9
	375	37,500	1,708	72.0
	380	38,000	1,708	72.1
	385	38,500	1,641	72.3
	390	39,000	1,641	72.4
	395	39,500	1,641	72.5
	400	40,000	1,641	72.7
	405	40,500	1,641	72.8
	410	41,000	1,641	73.0
	415	41,500	1,627	73.2
417	41,686	1,627	73.2	
Pleasant Meadow Swamp Tributary 3	020	2,014	742	67.4 ³
	025	2,528	742	67.4 ³
	030	3,028	742	68.3
	035	3,528	675	68.7
	040	4,028	675	69.2
	046	4,643	675	69.8
	047	4,728	675	70.2
	048	4,772	675	70.2
	050	5,028	675	70.5
	055	5,528	501	71.6
Pleasant Meadow Swamp Tributary 7	004	434	318	81.3 ³
	005	473	318	81.3 ³
	006	581	318	81.4
	006	647	318	86.9
	007	669	318	86.9
	011	1,050	318	86.9
	015	1,485	318	86.9
	015	1,542	318	87.0
	016	1,573	318	87.0
	018	1,848	318	87.1
Pleasant Meadow Swamp Tributary 9	003	308	424	89.0 ³
	005	500	424	89.0 ³
	008	759	424	89.0 ³
	010	1,044	424	89.6

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Pleasant Meadow Swamp Tributary 9 (continued)	013	1,287	424	90.3
	014	1,352	424	90.4
	014	1,385	424	90.4
	015	1,500	424	90.7
	018	1,787	424	91.3
Poplar Branch	002	156	877	61.2 ³
	005	500	877	61.2 ³
	010	1,000	877	62.0
	015	1,500	877	62.8
	020	2,000	877	63.6
	025	2,500	877	64.6
	030	3,028	877	65.8
	035	3,500	877	66.4
	040	4,000	877	66.9
	045	4,500	877	67.6
	048	4,777	877	68.1
	048	4,816	877	69.0
	048	4,847	877	69.0
	050	5,014	583	69.1
	054	5,433	583	69.1
	060	6,011	583	69.5
	065	6,489	583	70.3
	067	6,748	583	70.6
	Poplar Swamp	014	1,362	1,181
017		1,718	1,181	32.0
022		2,228	1,181	32.7
027		2,696	1,181	33.4
031		3,147	1,181	34.2
038		3,782	1,181	35.2
041		4,124	1,181	35.4
045		4,496	1,137	35.7
050		4,953	1,137	36.3
055		5,465	1,137	36.9
057		5,743	1,137	37.3
058		5,775	1,137	38.6
058		5,810	1,137	38.6
063		6,263	1,137	38.9
067		6,741	1,101	39.2
074		7,412	1,101	39.6
079		7,939	1,055	39.9
085		8,454	1,055	40.2
089		8,880	1,023	40.4
089	8,936	1,023	41.3	
090	8,977	1,023	41.3	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Poplar Swamp (continued)	093	9,296	1,023	41.4
	097	9,676	1,023	41.7
	101	10,133	1,023	42.4
	108	10,848	1,023	43.2
	112	11,197	1,023	43.6
	113	11,300	1,023	46.2
	114	11,378	1,023	46.2
	120	11,955	1,023	46.5
	123	12,275	977	46.5
	123	12,326	977	47.1
	124	12,376	977	47.1
	127	12,683	977	47.1
	134	13,408	870	47.3
Prince Mill Swamp	016	1,556	1,131	49.9 ³
	019	1,879	1,131	49.9 ³
	023	2,287	1,131	50.9
	026	2,579	1,131	51.4
	030	3,000	1,131	51.9
	035	3,500	1,131	52.3
	040	4,000	1,131	52.7
	042	4,220	1,131	53.9
	044	4,430	1,131	53.9
	050	5,000	1,131	54.3
	055	5,500	1,131	54.5
	059	5,884	1,131	54.6
	065	6,512	942	55.1
	068	6,778	942	55.5
	069	6,878	942	56.2
	070	7,000	942	56.2
	075	7,500	942	56.8
	080	8,000	942	57.3
	085	8,500	942	57.8
	090	9,000	942	58.4
	095	9,500	942	58.9
	100	10,000	890	59.3
	105	10,500	890	59.7
	110	11,000	890	60.6
	113	11,306	890	61.1
	115	11,454	890	63.4
	115	11,540	890	63.4
	120	12,000	890	63.5
	125	12,500	835	63.6
	130	13,000	835	63.8
	135	13,500	835	64.3
	140	14,000	835	64.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Prince Mill Swamp (continued)	145	14,500	835	65.6
	149	14,885	835	66.0
	151	15,125	835	66.2
	152	15,217	835	67.5
	153	15,267	835	67.5
	155	15,500	835	68.1
	160	16,000	835	68.9
	165	16,500	835	70.1
	170	17,000	780	70.8
	175	17,500	652	71.3
	180	18,000	652	71.6
	186	18,564	623	71.9
Ratan Branch	010	952	502	31.2 ³
	015	1,500	502	32.9
	021	2,100	384	34.8
	025	2,500	384	35.8
	030	3,000	384	37.4
	034	3,432	384	38.9
	040	4,002	384	40.8
	044	4,399	384	42.4
	046	4,610	384	43.2
	048	4,786	384	44.1
	050	4,979	384	44.6
	054	5,410	384	44.9
	059	5,871	384	45.6
	062	6,203	292	46.7
Reedy Branch	075	7,500	1,247	46.3 ³
	080	8,000	1,247	46.3 ³
	085	8,500	1,226	46.3 ³
	090	9,000	1,226	46.3 ³
	095	9,500	1,226	46.3
	100	10,000	1,226	47.3
	105	10,500	1,226	47.8
	110	11,000	1,182	48.2
	115	11,500	1,182	48.7
	117	11,679	1,182	48.9
	118	11,754	1,182	52.4
	118	11,804	1,182	52.4
	120	12,000	1,155	52.4
	125	12,500	1,155	52.5
	130	13,000	1,155	52.6
	137	13,665	1,117	52.7
Run of Plum Branch	061	6,139	210	28.5
	065	6,500	210	28.7
	070	7,000	210	29.9

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Run of Plum Branch (continued)	075	7,500	210	30.6
	080	8,026	210	31.4
	085	8,507	210	31.9
	092	9,232	210	32.4
Sarah Branch	118	11,847	927	18.8 ³
	123	12,263	927	18.8 ³
	125	12,461	927	18.8 ³
	126	12,628	927	18.8 ³
	127	12,690	927	18.8 ³
	128	12,767	927	18.8 ³
	130	13,024	893	18.8 ³
	135	13,509	893	18.8 ³
	140	13,963	893	18.8 ³
	145	14,509	802	18.8 ³
	150	15,009	802	18.8 ³
	155	15,509	802	18.8 ³
	160	16,009	802	18.8 ³
	165	16,509	802	18.8 ³
	169	16,905	802	18.8 ³
	175	17,509	802	19.5
	180	18,009	802	20.1
	186	18,612	802	20.6
	192	19,223	802	21.2
	196	19,576	802	21.4
	202	20,200	802	22.1
	205	20,509	802	23.2
	210	21,009	802	24.4
	214	21,404	802	24.8
	219	21,914	802	24.9
	225	22,511	227	24.9
	230	22,958	227	25.0
	230	23,045	227	25.1
	231	23,105	227	25.1
	235	23,511	227	25.1
	240	24,011	227	25.2
	245	24,511	227	25.3
	251	25,108	227	25.4
	254	25,436	227	25.7
	259	25,922	227	29.1
	262	26,244	227	29.8
	269	26,928	227	34.2
Schoolhouse Branch	057	5,693	156	30.1 ³
	060	6,020	156	30.1 ³
	064	6,400	100	30.1 ³
	067	6,680	100	30.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Schoolhouse Branch (continued)	070	7,028	100	33.1
	073	7,304	100	35.8
	075	7,536	100	36.3
	076	7,561	100	36.9
	076	7,580	100	36.9
	077	7,704	100	37.4
Schoolhouse Branch Tributary	010	970	265	30.3 ³
	012	1,165	265	30.3 ³
	014	1,412	265	31.7
	017	1,664	265	33.4
	019	1,921	265	34.7
	022	2,214	265	36.2
	025	2,481	265	37.7
	027	2,724	235	38.5
	029	2,889	235	39.7
	031	3,084	235	41.3
	033	3,268	235	44.2
Seventh Avenue Stream	090	8,973	165	18.0
	091	9,114	165	18.8
	092	9,199	165	19.1
	093	9,273	165	21.1
	093	9,335	165	21.9
	094	9,386	165	22.1
	094	9,436	165	22.1
	095	9,526	165	22.2
Sheepbridge Branch	005	499	942	36.0 ³
	010	999	942	36.0 ³
	015	1,499	942	36.2
	020	1,983	942	36.4
	024	2,357	942	36.7
	028	2,753	872	36.9
	033	3,269	872	37.0
	036	3,636	872	37.2
	037	3,700	872	37.4
	037	3,739	872	37.4
	038	3,765	872	37.5
	038	3,801	872	37.7
	039	3,875	872	37.7
	043	4,261	872	38.1
	048	4,761	872	38.2
	049	4,885	872	38.2
	049	4,933	872	38.2
	060	6,001	620	38.2
	066	6,552	620	38.3

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Sheepbridge Branch (continued)	074	7,369	620	38.4
	081	8,054	620	38.5
	085	8,536	620	38.6
	088	8,766	620	38.6
	088	8,826	620	39.3
	089	8,872	620	39.3
	090	9,044	584	39.4
	096	9,550	584	40.1
	103	10,312	584	40.8
	110	11,045	584	41.3
	119	11,916	584	41.5
	125	12,543	584	41.6
	126	12,588	584	41.7
	126	12,626	584	41.7
	132	13,227	246	41.7
Sheepbridge Branch Tributary 1	008	778	361	38.2 ³
	013	1,288	361	38.2 ³
	018	1,804	361	38.5
	018	1,840	361	39.0
	019	1,859	361	39.0
	024	2,429	361	39.7
Sheep Pen Branch	000	0	320	17.6 ³
	005	517	320	17.6 ³
	010	1,017	320	17.6 ³
	015	1,490	320	17.6 ³
	021	2,113	182	17.6 ³
	025	2,517	182	17.6 ³
	031	3,051	182	17.6 ³
	035	3,480	182	17.6 ³
	039	3,938	182	17.6 ³
	045	4,517	182	17.6 ³
	050	5,017	92	17.6 ³
	055	5,517	92	17.6 ³
	061	6,056	92	17.7
	065	6,538	92	18.0
	070	7,034	92	18.6
Simpson Creek	230	23,032	3,024	23.4
	235	23,533	3,024	23.6
	240	24,039	3,024	23.7
	245	24,545	3,024	23.8
	250	25,022	3,024	23.9
	255	25,537	3,024	24.0
	260	26,010	3,024	24.2
	265	26,483	3,024	24.3

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Simpson Creek (continued)	270	27,022	2,368	24.5
	273	27,334	2,368	24.5
	276	27,610	2,368	24.7
	279	27,939	2,368	24.9
	282	28,211	2,368	24.8
	283	28,273	2,368	27.2
	283	28,327	2,368	27.2
	287	28,700	2,368	27.6
	293	29,276	2,063	27.7
	297	29,722	2,063	27.8
	302	30,165	2,063	28.0
	308	30,828	2,046	28.5
	312	31,202	2,046	28.8
	317	31,705	2,046	29.0
	321	32,067	2,046	29.1
	326	32,584	2,046	29.2
	330	33,046	2,046	29.4
	333	33,307	2,046	29.3
	334	33,359	2,046	31.3
	334	33,403	2,046	31.3
	339	33,873	2,018	31.9
	344	34,426	1,966	32.0
	350	35,032	1,689	32.1
	355	35,479	1,689	32.2
	361	36,134	1,689	32.5
	365	36,530	1,689	32.7
	370	37,015	1,689	32.9
	375	37,485	1,689	33.0
	380	37,983	1,689	33.4
	384	38,444	1,689	34.0
	389	38,899	1,382	34.7
	396	39,616	1,382	35.9
	401	40,100	1,382	36.1
	405	40,518	1,382	36.1
	409	40,944	1,382	36.3
	414	41,447	1,344	36.8
	419	41,853	1,344	37.5
	422	42,239	1,344	38.0
	425	42,514	1,344	38.4
	428	42,775	1,344	39.5
	432	43,201	1,344	40.4
	436	43,605	1,344	40.9
	440	44,012	1,322	41.3
	443	44,269	1,322	41.6
	443	44,311	1,322	43.0

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Simpson Creek (continued)	443	44,346	1,322	43.0
	446	44,604	1,322	43.1
	450	45,017	1,322	43.3
	455	45,523	1,322	43.5
	461	46,084	1,322	43.8
	465	46,514	1,322	44.2
	470	46,984	1,322	44.4
	475	47,538	888	44.9
	480	48,018	888	45.6
	486	48,584	857	46.4
	491	49,051	857	47.1
	496	49,601	857	48.3
	500	50,005	857	49.7
	504	50,432	857	50.3
	510	50,967	857	50.9
	514	51,361	857	51.5
	520	51,956	857	52.7
	525	52,451	857	53.1
	530	52,953	805	53.4
	533	53,284	805	53.8
	536	53,614	805	54.6
	539	53,865	805	55.6
	541	54,067	805	56.1
	541	54,127	805	57.0
	542	54,182	805	57.0
	544	54,419	805	57.4
	549	54,874	763	57.7
	553	55,298	684	57.9
	556	55,565	684	58.2
	557	55,730	684	58.5
Socastee Creek	239	23,867	1,178	23.2
	248	24,814	1,074	23.3
	253	25,334	1,074	23.3
	257	25,749	1,074	23.3
	263	26,271	1,074	23.5
	268	26,794	1,074	23.5
	273	27,310	1,074	23.6
	277	27,650	1,074	23.7
	281	28,078	1,074	23.8
	284	28,424	1,074	23.8
	290	28,971	1,022	23.8
	294	29,371	1,022	23.9
	298	29,820	1,022	23.9
	303	30,315	1,022	24.0
	308	30,823	1,022	24.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Socastee Creek (continued)	315	31,482	1,022	24.2
	324	32,423	952	24.4
	329	32,898	952	24.5
Socastee Creek Tributary 1	005	504	183	24.6
	007	704	183	25.9
	010	960	183	27.1
	012	1,161	183	27.3
	012	1,199	183	28.7
	012	1,234	183	28.7
	016	1,600	183	28.8
	020	2,000	70	28.9
	025	2,473	70	29.7
	029	2,888	70	30.7
	032	3,209	70	31.0
	South Branch Pleasant Meadow Swamp	000	9	1,328
005		503	1,328	73.4
010		1,000	1,328	73.6
015		1,500	1,328	74.2
018		1,797	1,328	74.5
023		2,310	821	75.0
027		2,678	821	76.8
031		3,112	821	77.1
035		3,499	821	77.2
040		3,999	821	77.4
045		4,499	821	77.6
051		5,120	821	78.0
052		5,180	821	78.8
052		5,229	821	78.8
054		5,430	821	79.0
060		5,999	821	79.4
065		6,499	821	80.3
070		7,021	821	80.9
075		7,499	649	81.4
080		7,999	649	82.2
085		8,505	649	83.3
090	9,006	649	84.3	
095	9,506	649	85.5	
096	9,625	649	85.7	
097	9,665	649	86.3	
097	9,693	649	86.3	
097	9,697	649	86.4	
097	9,716	649	86.4	
097	9,736	649	86.4	
097	9,741	649	86.4	

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
South Branch Pleasant Meadow Swamp (continued)	097	9,748	649	86.7
	098	9,770	649	86.7
	100	10,006	649	86.8
	102	10,156	649	86.8
	102	10,203	649	87.7
	103	10,259	649	87.7
	105	10,506	649	88.1
	110	11,006	649	88.5
	115	11,506	649	88.7
	117	11,677	649	88.7
	117	11,725	649	89.0
	118	11,760	649	89.0
	119	11,944	330	89.0
	120	12,006	330	89.0
	120	12,039	330	89.0
	122	12,248	330	89.0
	124	12,438	330	89.1
	125	12,489	330	89.1
	125	12,539	330	89.1
	130	13,006	330	89.2
	134	13,422	330	89.5
	136	13,572	330	89.7
	137	13,652	330	91.6
	137	13,705	330	91.6
	140	14,014	330	91.8
Spring Swamp	010	1,036	1,383	24.3
	015	1,500	1,383	24.7
	020	1,950	1,383	25.0
	025	2,500	1,345	25.6
	030	3,000	1,345	26.5
	035	3,500	1,345	27.5
	040	4,000	1,345	28.2
	045	4,500	1,345	28.8
	050	5,000	1,307	29.4
	055	5,451	1,307	29.9
	060	6,032	1,307	30.4
	065	6,483	1,307	30.7
	071	7,053	1,307	31.3
	078	7,761	1,266	31.8
	078	7,809	1,266	32.5
	078	7,849	1,266	32.5
	082	8,246	1,266	32.8
	089	8,865	1,266	32.9
	094	9,407	1,266	33.1

Table 12 – Flood Hazard Data for Selected Streams – continued

Flooding Source ¹	Cross Section	Stream Station ²	1% Annual Chance Flood Discharge (cfs)	1% Annual Chance Water Surface Elevation (feet NAVD88)
Spring Swamp (continued)	101	10,084	1,266	33.2
	106	10,633	1,221	33.6
	110	11,032	1,221	34.2
	117	11,656	1,178	35.0
	119	11,914	1,178	35.3
	125	12,496	1,178	35.9
	130	13,016	1,178	36.5
	131	13,055	1,178	36.9
	131	13,096	1,178	36.9
	134	13,407	1,178	37.4
	139	13,907	1,178	38.2
	144	14,407	1,151	39.1
	148	14,844	1,151	39.5
	154	15,407	1,151	39.9
	159	15,907	1,151	40.3
	164	16,407	1,104	40.7
	169	16,907	1,104	41.2
	174	17,433	1,104	41.7
	181	18,133	1,104	42.8
	186	18,623	1,104	43.4
	191	19,084	1,059	43.9
	196	19,620	1,059	44.4
	201	20,080	1,015	44.9
	204	20,407	1,015	45.2
	209	20,907	1,015	45.6
	214	21,407	1,015	45.9
	219	21,907	1,015	46.4
	224	22,407	1,015	47.0
	228	22,847	969	47.6
	234	23,407	922	48.3
	240	24,016	922	48.8
	241	24,058	922	48.9
	241	24,111	922	48.9
	247	24,709	922	49.6
	254	25,408	922	50.6
	258	25,806	922	51.3
	264	26,363	866	52.3
	269	26,907	866	53.0
	273	27,292	866	53.6
	278	27,809	866	54.5
	280	27,976	835	54.7
	281	28,086	835	55.6
	282	28,174	835	55.6
	288	28,820	835	56.1
	295	29,499	835	56.3